# 11. Appendix Volume 1

## TABLE OF CONTENTS

PREFACE	Page	5
Project Approach Summary		
ACKNOWLEDGEMENTS	Page	9
1. EXECUTIVE SUMMARY	Page	11
1.1. General Project Scope and Description		
1.2. Summarized Space Tabulation		
1.3. Budget Summary		
1.4. Schedule Summary		
1.5. Institution and/or Building Site Plan		
Problem Definition and Analysis of Existing Conditions		
2. GENERAL PROBLEM STATEMENT	Dogo	19
2.1. General Description, History, Context and Nature of Problem	Page	13
2.1. General Description, history, context and Nature of Problem		
3. EXISTING OCCUPANTS/USER/AGENCY OPERATIONS and PROGRAM	Page	23
3.1. Occupant/User Activities and Functional Categories	Ū	
3.1.1. Employees/Staffing – number and type		
3.1.2. Utilization – rooms and hours of use		
4. ANALYSIS OF EXISTING PHYSICAL CONDITIONS	Page	27
4.1. Site/Civil/Utilities/Transportation: Existing Conditions		
or Site Survey, Capacities, and Deficiencies		
4.1.2 Civil Utilities		
4.2. Building/Systems: Existing Conditions and Deficiencies		
4.2.1. Architectural Systems		
4.2.2. Mechanical Systems 4.2.3. Electrical Systems		
4.2.4. Food Service Systems		
4.2.5. Existing Program Evaluation		
4.2.3. Existing Flogram Evaluation		
5. CHANGES AND PROJECTIONS	Page	39
5.1. Space Tabulation of Existing and Proposed Spaces		
5.2. New Programs/Growth		
5.3. Planned Utilization of Space		
Project Solution Description		
6. SPACE DESCRIPTION (new and/or remodeled)	Page	45
6.1. Space Type Narrative (all major categories of space)		
6.1.1. Student Center Administration & Services		
6.1.2. Student Organizations, Governance, Programming & Services		
6.1.3. Meeting & Program		
6.1.3.1. Entertainment Café Space		
6.1.3.2. Multi-Purpose Space		
6.1.3.3. Meeting Rooms		

### **TABLE OF CONTENTS**

6.1.3.4. Senate Chambers		
6.1.4. Dining Services		
6.1.4.1. Retail Market Place		
6.1.4.2. Coffee House		
6.1.4.3. Catering		
6.1.5. Bookstore		
6.1.5.1. Retail		
6.1.5.2. Textbook Rental		
6.1.6. Recreation		
6.1.7. Information Center		
6.1.8. Lounges		
6.2. Program Space Tabulation Detail		
6.3. Adjacency Matrix		
6.4. Graphic Analysis of Spaces		
6.5. Spatial Organization of Activities and/or Rooms (bubble diagram)		
6.5. Spatial Organization of Activities and/or Rooms (bubble diagram)		
7. DESIGN CRITERIA and METRICS TO ENSURE PROJECT SUCCESS	Page	79
7.1. Overview	rage	75
7.2. Design Guidelines/Parameters		
7.2. Design Guidelines/Farameters 7.3. Regulatory Requirements and Guidelines		
7.3. Regulatory Requirements and Guidelines 7.4. Sustainability Standards		
7.4.1. DSF Sustainability Standards 7.4.1.2. Commissioning		
7.4.1.2. Commissioning 7.4.2 LEED Checklist for New Construction		
7.4.2 LEED CHECKIIST for New Construction		
8. RUII DING and SITE CONCEPT and RECOMMENDATIONS	Page	97
8. BUILDING and SITE CONCEPT and RECOMMENDATIONS 8.1 Concentual Site Plan	Page	97
8.1. Conceptual Site Plan	Page	97
<ul><li>8.1. Conceptual Site Plan</li><li>8.2. Site/Civil/Utilities/Transportation Description</li></ul>	Page	97
<ul><li>8.1. Conceptual Site Plan</li><li>8.2. Site/Civil/Utilities/Transportation Description</li><li>8.2.1. Water Service</li></ul>	Page	97
<ul><li>8.1. Conceptual Site Plan</li><li>8.2. Site/Civil/Utilities/Transportation Description</li><li>8.2.1. Water Service</li><li>8.2.2. Storm</li></ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> </ul>	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> </ul>	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications 8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram 8.3.1. Concept Diagrams	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> <li>8.4. Building/Systems Description</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> <li>8.4. Building/Systems Description</li> <li>8.4.1. Architectural Systems</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> <li>8.4. Building/Systems Description</li> <li>8.4.1. Architectural Systems</li> <li>8.4.2. Structural Systems</li> </ul>	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> <li>8.4. Building/Systems Description</li> <li>8.4.1. Architectural Systems</li> <li>8.4.2. Structural Systems</li> <li>8.4.2.1. Structural Description</li> </ul>	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications 8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram 8.3.1. Concept Diagrams 8.3.2. Architectural Concept Renderings 8.4. Building/Systems Description 8.4.1. Architectural Systems 8.4.2. Structural Systems 8.4.2.1. Structural Description 8.4.2.2 Design Criteria References	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications 8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram 8.3.1. Concept Diagrams 8.3.2. Architectural Concept Renderings 8.4. Building/Systems Description 8.4.1. Architectural Systems 8.4.2. Structural Systems 8.4.2.1. Structural Description 8.4.2.2 Design Criteria References 8.4.2.3. Design Loads	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications 8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram 8.3.1. Concept Diagrams 8.3.2. Architectural Concept Renderings 8.4. Building/Systems Description 8.4.1. Architectural Systems 8.4.2. Structural Systems 8.4.2.1. Structural Description 8.4.2.2 Design Criteria References 8.4.2.3. Design Loads 8.4.3. Mechanical Systems	Page	97
<ul> <li>8.1. Conceptual Site Plan</li> <li>8.2. Site/Civil/Utilities/Transportation Description</li> <li>8.2.1. Water Service</li> <li>8.2.2. Storm</li> <li>8.2.3. Sanitary Sewer Service</li> <li>8.2.4. Gas</li> <li>8.2.5. Chilled Water</li> <li>8.2.6. Steam</li> <li>8.2.7. Electrical</li> <li>8.2.8. Telecommunications</li> <li>8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram</li> <li>8.3.1. Concept Diagrams</li> <li>8.3.2. Architectural Concept Renderings</li> <li>8.4. Building/Systems Description</li> <li>8.4.1. Architectural Systems</li> <li>8.4.2. Structural Systems</li> <li>8.4.2.1. Structural Description</li> <li>8.4.2.2 Design Criteria References</li> <li>8.4.2.3. Design Loads</li> <li>8.4.3.1. HVAC Systems</li> </ul>	Page	97
8.1. Conceptual Site Plan 8.2. Site/Civil/Utilities/Transportation Description 8.2.1. Water Service 8.2.2. Storm 8.2.3. Sanitary Sewer Service 8.2.4. Gas 8.2.5. Chilled Water 8.2.6. Steam 8.2.7. Electrical 8.2.8. Telecommunications 8.3. Building Organization Framework Diagram/Blocking/Stacking Diagram 8.3.1. Concept Diagrams 8.3.2. Architectural Concept Renderings 8.4. Building/Systems Description 8.4.1. Architectural Systems 8.4.2. Structural Systems 8.4.2.1. Structural Description 8.4.2.2 Design Criteria References 8.4.2.3. Design Loads 8.4.3. Mechanical Systems	Page	97

#### TABLE OF CONTENTS

- 8.4.4. Electrical Systems (includes telecommunications, security, AV, etc.)
- 8.4.5. Telecommunications Systems
- 8.4.6. Food Service Systems

#### 9. BUDGET DETAIL Page 139

- 9.1. Project Summary Budget Worksheets
  - 9.1.1. UWL Student Center Project Budget Worksheet Summary
  - 9.1.2. Budget Worksheet for Total Project Cost Phase 1
  - 9.1.3. Budget Worksheet for Total Project Cost Phase 2
- 9.2. Order of Magnitude/Programmatic Construction Cost Estimate
  - 9.2.1. Notes & Exclusions
  - 9.2.2. Project Summary
  - 9.2.3. New Student Center
  - 9.2.4. Cartwright

#### 10. SCHEDULE/PHASING DETAIL

Page 169

- 10.1. Schedule Summary
- 10.2. Various Scheudule Options

#### 11. APPENDIX

#### Volume I

A. Room Data Sheets

#### Volume II

- B. Equipment Schedule: Movable, Fixed, Special
- C. Institution Site Plans or Maps
- D. Cartwright Center Overview Budget
- E. Whitney Center Overview Report
- F. Proposed Site Overview Report
- G. Student Senate Resolution
- H. Visioning Sessions
- I. Visual Tour Reports
- J. Resident Dining Decision
- K. Power Point Presentations
- L. Meeting Participants
- M. Room Counts and Statistics
- N. Geotechnical Report

## Appendix Exhibit A – Room Data Sheets

Room ID No.: 1.1 A

Room Name: Reception Area/Counter

Division: Dining Services
Department: Student Centers

Administration &

Services

Room Size: 100 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: None

Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 40\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Work Room

FIXED EQUIPMENT

Clock

**MOVABLE EQUIPMENT** 

(3) Chairs

Waste Baskets

ROOM DESCRIPTION

Reception area with up to 3 work stations

**REMARKS** 

**Built-in Reception counter** 

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: Carpet/Vinyl base,

straight

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

Room ID No.: 1.1 B **Room Name:** Office 2:

**Campus Director** 

Division: **Dining Services** Department: **Student Centers** Administration &

Services

120 ASF Room Size:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: **OCC Sensors Lighting** 

Control

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends: 20 hours/week Break: TBD\_ hours/week **TECHNOLOGY** 

Computer

**ADJACENCIES** 

**Marketing Director** 

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Standard office

MOVABLE EQUIPMENT

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File Waste Baskets

Natural Light:

**ENVIRONMENT** 

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom. Aluminum frame with

Yes

Windows:

insulated glazing

REMARKS

Furniture to be flexible to allow for different configurations such as a worktable or a meeting

table for 4

Room ID No.: 1.1 C

Room Name: Office 2:

Marketing Director

Division: Dining Services
Department: Student Centers
Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 10\_hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

Computer

**ADJACENCIES** 

FIXED EQUIPMENT

Clock

ROOM DESCRIPTION

Standard office

MOVABLE EQUIPMENT

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File Waste Baskets

Natural Light:

**FINISHES** 

**ENVIRONMENT** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Yes

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Furniture to be flexible to allow for different configurations such as a worktable or a meeting table for 4

Room ID No.: 1.1 D

Room Name: Office 2: Dietitian
Division: Dining Services
Department: Student Centers
Administration &

Services

Room Size: 120 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 20\_hours/week
Break: TBD hours/week

**ADJACENCIES** 

ROOM DESCRIPTION

Standard office

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**TECHNOLOGY** 

Computer

FIXED EQUIPMENT

Clock

**MOVABLE EQUIPMENT** 

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File Waste Baskets

Room ID No.: 1.1 E

Room Name: Office 3: Office Support

Division: Dining Services
Department: Student Centers
Administration &

Services

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 10\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Reception

FIXED EQUIPMENT

Printing station Clock

MOVABLE EQUIPMENT

**ROOM DESCRIPTION** 

Cubicle office area within larger area of Pocentian

of Reception

(1) Workstation

(1) Task Chair

(1) Lateral File

Systems Furniture/Cubicle

2 Drawer File Cabinet

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

**REMARKS** 

Coat hooks in general area for jackets and bags

**FINISHES** 

Walls: N/A

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: -

Windows: Aluminum frame with

Room ID No.: 1.1 F

**Room Name: Cash Counting Room** 

Division: **Dining Services** Department: **Student Centers** Administration &

Services

Room Size: 120 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: (2) Phone/Data on 2

> walls Wireless

UTILIZATION

Academic Year: 50\_hours/week Nights: 10\_ hours/week Weekends: 10 hours/week Break: TDB hours/week **TECHNOLOGY** 

**ADJACENCIES** 

Offices/Reception

**FIXED EQUIPMENT** 

10'0" Countertop, plastic laminate

Clock

Safe

ROOM DESCRIPTION

beginning and end of shifts

Area for employees to count drawers at

**ENVIRONMENT** 

Natural Light: No **REMARKS** 

(4) Chairs

Provide borrowed lite into room

MOVABLE EQUIPMENT

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood door with

door lite, stained

Windows:

Room ID No.: 1.1 G

**Room Name: Work Room** Division: **Dining Services** Department: **Student Centers** Administration &

Services

Room Size: 150 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Provide power to

devices/equipment

Telecom: 2 Data (3 jacks)

Phone

UTILIZATION

Academic Year: 50\_hours/week 0\_ hours/week Nights: Weekends: 0 hours/week Break: 0 hours/week

TECHNOLOGY

Data Jack Computer

**ADJACENCIES** 

Reception, Offices

**FIXED EQUIPMENT** 

10'-0" Countertop with base and upper cabinets

**Printing Station** 

Clock

ROOM DESCRIPTION

Support area for office suite activities include mail, office supplies, copying

MOVABLE EQUIPMENT

(1) Copier

**ENVIRONMENT** 

Natural Light: Desired, not required REMARKS

Exhaust, required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

Room ID No.: 1.1 H

Room Name: Office 4 : Student

Interns Work Area (2)

Division: Dining Services
Department: Student Centers

Administration &

Services

Room Size: 50 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 40\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

TECHNOLOGY

**ADJACENCIES** 

Reception

FIXED EQUIPMENT

Clock

MOVABLE EQUIPMENT

ROOM DESCRIPTION (1) 30"x60" Desk (1) Task Chair

Systems Furniture/Cubicle

**REMARKS** 

larger Reception Area

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

Intern work area provided in

**FINISHES** 

Walls:

Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: -

Windows: Aluminum frame with

Room ID No.: 1.2 A

Room Name: Office 2:

**Card Office Manager** 

Division: I.D. Cards
Department: Student Co

Student Centers
Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 0\_hours/week

Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer

**ADJACENCIES** 

Service Counter, Reception

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Standard office

**ENVIRONMENT** 

Natural Light:

**MOVABLE EQUIPMENT** 

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File Waste Baskets

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Yes

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.2 B

Room Name: Office 2:

**Associate Director** 

Division: I.D. Cards

Department: Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: Nights:

50\_hours/week 0\_ hours/week 0\_ hours/week

Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer

**ADJACENCIES** 

Reception

Weekends:

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Standard office

**MOVABLE EQUIPMENT** 

Facilities Furniture

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

Natural Light:

**ENVIRONMENT** 

\_

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Yes

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Furniture to be flexible to allow for different configurations such as a worktable or a meeting table for 4

Room ID No.: 1.2 C

Room Name: Office 4: Grad Student

Division: I.D. Cards

Department: Student Centers

Administration &

Services

Room Size: 50 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Reception, Service Center

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Intern work area provided in larger Reception Area

MOVABLE EQUIPMENT

(1)30"x60" Desk (1) Task Chair

Systems Furniture, Cubicle

REMARKS

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: -

Windows: Aluminum frame with

Room ID No.: 1.2 D

Room Name: Service Counter

Division: I.D. Cards

Department: Student Centers

Administration &

Services

Room Size: 100 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: None

Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD\_hours/week
\* Additional hours during peak times, i.e.

beginning and end of semester

TECHNOLOGY

(3) Computers

Printer

**ADJACENCIES** 

Work Room, Reception

Card Office Manager Office Camera Room FIXED EQUIPMENT

**Built-in Reception counter** 

Clock

**ROOM DESCRIPTION** 

Room with up to 3 work stations and a

reception area.

**MOVABLE EQUIPMENT** 

(3) Chairs

(1) Lateral File

Upper and Lower Cabinets (Lockable)

**Brochure Holders** 

**ENVIRONMENT** 

Natural Light: No

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: Carpet/Vinyl base,

straight

Ceiling: ACT

Doors: Windows:

ing:

Room ID No.: 1.3 A

Room Name: Office 2:

Reservation Coordinator

Division: University Reservations

& Event Support

Department: Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year:

50\_hours/week 20 hours/week

Weekends: Break:

Nights:

20\_ hours/week
TBD\_ hours/week

**TECHNOLOGY** 

**Desk Top Computer** 

Dual Monitor 24" and 20" (customer screen)

**ADJACENCIES** 

**Event Support Coordinator** 

FIXED EQUIPMENT

4' Board for posting 5' White Board

Clock

ROOM DESCRIPTION

Standard office

**ENVIRONMENT** 

Natural Light:

MOVABLE EQUIPMENT

Facilities Furniture

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

**FINISHES** 

Walls:

Paint

ACT

Yes

Floor/Base:

CPT AND CPT BASE

Ceiling:

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.3 B

**Room Name:** Office 2: Event

Support Coordinator

Division: **University Reservations** 

& Event Support

Department: Student Centers

Administration &

Services

120 ASF Room Size:

UTILIZATION

Academic Year:

Nights: 20 hours/week Weekends: 20\_ hours/week

Break:

TBD\_ hours/week

50 hours/week

**ADJACENCIES** 

Catering, Custodial Supervisor,

Reception

ROOM DESCRIPTION

Standard office

**ENVIRONMENT** 

Yes Natural Light:

**FINISHES** 

Walls: **Paint** 

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: **OCC Sensor Lighting** 

Control

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

(4) Internet Connections at 2 locations

**TECHNOLOGY** 

Computer

FIXED EQUIPMENT

4' Board for posting

Clock

MOVABLE EQUIPMENT

**Facilities Furniture** 

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

Trash/Recycling Station

**Coat Hooks** 

(4) Lock Boxes for keys

Room ID No.: 1.3 C

Room Name: Office 3: Support Staff

Division: University Reservations

& Event Support Student Centers

Administration & Services

Service

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

Multi-line phone system

**UTILIZATION** 

Department:

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer and phone at each desk

**ADJACENCIES** 

Reception

Reservations Service Counter Reservations Coordinator Office **FIXED EQUIPMENT** 

**Printing Station** 

**ROOM DESCRIPTION** 

Office area within larger area of Reception

**MOVABLE EQUIPMENT** 

(1) Workstation

(1) Task Chair

(1) Lateral File

Lockable Storage Cabinet 2 Drawer File Cabinet

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

REMARKS

Coat hooks in general area for jackets and bags

**FINISHES** 

Walls: N/A

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

Paint

CPT AND CPT BASE

ACT

Room ID No.: 1.3 D

Room Name: Service Counter

Division: University Reservations

& Event Support Student Centers

Department: Student Centers

Administration &

Services

Room Size: 100 ASF

UTILIZATION

Academic Year: 50\_hours/week

Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Reservations Offices
Reservations Reception

**ROOM DESCRIPTION** 

Area in Office Suite to Receive Customers

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: - Windows: -

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

**TECHNOLOGY** 

Computer

Phone (part of multi-line phone system)

FIXED EQUIPMENT

**Built in Reception Desk** 

Clock

**MOVABLE EQUIPMENT** 

(1) Chairs

(1) Desk -see below

**REMARKS** 

Desk needs to have standing height area and

seated height area for the customer

Reception Desk only needs one workstation

Room ID No.: 1.3 E

Room Name: Office 3: Event Support

Division: University Reservations & Event Support

Department: Student Centers
Administration &

Administration

Services

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Desktop Computer

**ADJACENCIES** 

Reception

FIXED EQUIPMENT

**Printing Station** 

Clock

MOVABLE EQUIPMENT

(1) Workstation

(1) Task Chair

(1) Lateral File - lockable Systems Furniture/Cubicle

2 Drawer File Cabinet

ROOM DESCRIPTION
Cubicle office area within larger area of

reception

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

Coat hooks in general area for jackets and bags

**FINISHES** 

Walls: N/A

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

Room ID No.: 1.3 F

Room Name: ID Card Office

Division: University Reservations

& Event Support Student Centers

Administration &

. .

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Provide power to

devices/equipment

Telecom: 2 Data (3 jacks)

Phone

UTILIZATION

Department:

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD\_hours/week

TECHNOLOGY

**ADJACENCIES** 

Reception, Offices

FIXED EQUIPMENT

Countertop with base and upper cabinets Printing Station - With 2 doors and lockable

Clock

MOVABLE EQUIPMENT

Copier

**ROOM DESCRIPTION** 

Support area for office suite activities including mail, office supplies, copying

Camera Room

**REMARKS** 

Exhaust, required

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained Windows: Aluminum frame with

Room ID No.: 1.3 G

Room Name: Reception Area/Waiting

Room

Division: University Reservations

& Event Support

Department: Student Centers

Administration &

Services

Room Size: 100 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD\_hours/week

**ADJACENCIES** 

**Reservations Service Counter** 

ROOM DESCRIPTION

Reception area/waiting area for customers

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: Carpet/Vinyl Base,

straight

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: None

Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

**TECHNOLOGY** 

32" Monitor to show schedule

**FIXED EQUIPMENT** 

**Built in Reception counter** 

Clock

**MOVABLE EQUIPMENT** 

Loveseat Chair End Table Lamp

Room ID No.: 1.3 H

Room Name: Office 2: Catering

Division: University Reservations

& Event Support Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Department:

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer

**ADJACENCIES** 

**Dining Service Staff** 

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Standard office

ENVIRONMENT
Natural Light:

MOVABLE EQUIPMENT

Facilities Furniture
Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Yes

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.3 I

**Room Name:** Office 2:

**Custodial Supervisor** Division: **University Reservations** 

& Event Support

Department: Student Centers

Administration &

Services

120 ASF Room Size:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: **OCC Sensor Lighting** 

Control

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

50 hours/week Academic Year: Nights: 20 hours/week Weekends: 20\_ hours/week Break:

TBD\_ hours/week

**TECHNOLOGY** 

Computer Phone

**ADJACENCIES** 

**Reservations Coordinator and Support** 

FIXED EQUIPMENT

2'x3' White Board 2'x3' Bulletin Board

**Coat Hooks** Clock

ROOM DESCRIPTION

Standard office

**ENVIRONMENT** 

Natural Light:

MOVABLE EQUIPMENT

**Facilities Furniture** 

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Bookcase 36"x72"

(1) 36" Round Table

(1) Waste Basket

(1) Recycle Basket

**FINISHES** 

Walls: **Paint** 

Floor/Base: CPT AND CPT BASE

Yes

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.4 A

Room Name:Office 1: DirectorDivision:Administrative StaffDepartmentStudent CentersAdministration &

Services

Room Size: 150 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 10\_ hours/week
Weekends: 10\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

Computer Telephone

**ADJACENCIES** 

Administrative Assistant

FIXED EQUIPMENT

Clock

ROOM DESCRIPTION

Higher end office with small conference area

Yes

MOVABLE EQUIPMENT

Facilities Furniture
Desk & drawers

with return and overhang

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

(1) 60" Round table

(4) Visitor chairs

(2) Bookshelves

FINISHES

Natural Light:

**ENVIRONMENT** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.4 B

Room Name: Office 2:

Administrative Assistant

Division: Administrative Staff
Department Student Centers
Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer

**ADJACENCIES** 

Director, Reception Financial Coordinator **FIXED EQUIPMENT** 

Clock

**ROOM DESCRIPTION** 

Standard office

MOVABLE EQUIPMENT

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

ENVIRONMENT

Natural Light: Yes

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

Room ID No.: 1.4 C

Room Name:Workroom/MailDivision:Administrative StaffDepartmentStudent CentersAdministration &

Services

Room Size: 200 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 40\_ hours/week
Weekends: 50\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Reception, Offices Reservations/Card Office

**ROOM DESCRIPTION** 

Support area for office suite activities including mail, office supplies, copying

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical:

Telecom: 2 Data (3 Jacks)

**TECHNOLOGY** 

FIXED EQUIPMENT

Countertop with base and upper cabinets

**Printing Station** 

Clock

Built-in mail boxes or mail slots

MOVABLE EQUIPMENT

(2)Copiers

Lockable Storage Cabinets/Shelving

REMARKS

Exhaust required

Room ID No.: 1.4 D

Room Name: Breakroom

Division: Administrative Staff
Department Student Centers

Administration &

Services

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Sink/Plumbing

Plumbing: Electrical:

Telecom: 2 Data/ Phone

Wireless

**TECHNOLOGY** 

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD hours/week

**ADJACENCIES** 

**Staff Offices** 

**FIXED EQUIPMENT** 

Sink with Disposal

10' Linear Feet Countertop, plastic laminate Custom wood base and upper cabinets

Clock

ROOM DESCRIPTION

Breakroom for staff

MOVABLE EQUIPMENT

Refrigerator

(1) 5X6 Dual table with (8) chairs

Couch

(2) Microwaves

Coffee Maker

Toaster

TV

Water Cooler

Dishwasher

ENVIRONMENT

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: LVT with high recycled

content

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

**Exhaust** 

Stove/Oven to be reviewed at time of design.

May require mechanical exhaust.

Room ID No.: 1.4 E

Room Name:Waiting AreaDivision:Administrative StaffDepartmentStudent Centers

Administration &

Services

Room Size: 300 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

**TECHNOLOGY** 

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD hours/week

FIXED EQUIPMENT

Clock

**ADJACENCIES** 

Reception

MOVABLE EQUIPMENT

(4) Chairs

(2) Side table

(2) Couches

Additional Seating

Coat Rack Brochure Rack Magazine Rack

**ENVIRONMENT** 

ROOM DESCRIPTION

Visitor and student waiting area for

Natural Light: Desired, not required

Student Centers and Administrative Services

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

Room ID No.: 1.5 A

**Room Name:** Office 2:

**Financial Coordinator** 

Division: **Financial Offices** Department **Student Centers** Administration &

Services

120 ASF Room Size:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week 0 hours/week Nights: Weekends: 0 hours/week

TBD\_ hours/week

**TECHNOLOGY** 

Computer

Clock

**ADJACENCIES** 

Vault Area

Break:

Administrative Assistant

**ROOM DESCRIPTION** 

Reception

MOVABLE EQUIPMENT

FIXED EQUIPMENT

**Facilities Furniture** 

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

**ENVIRONMENT** 

Standard office

Natural Light: Yes

**REMARKS** 

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

Room ID No.: 1.5 B

Room Name: Office with

Vault/Storage

Division: Financial Offices
Department Student Centers

Administration &

Services

Room Size: 150 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week

Break: TBD\_ hours/week

TECHNOLOGY

Card Swipe

**ADJACENCIES** 

Administrative Assistant

FIXED EQUIPMENT

Vault-Safe (2)

**ROOM DESCRIPTION** 

Standard Office with Secured Vault

**ID Card Office** 

Financial Specialist

Financial Coordinator

**ENVIRONMENT** 

Natural Light: Desired, not required

**MOVABLE EQUIPMENT** 

Facilities Furniture

Desk & drawers with return and overhang

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

(3) Vertical Files

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.5 C

**Room Name:** Office 2: Ticket Sales Division: **Financial Offices** Department **Student Centers** Administration &

Services

Room Size: 120 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks

to be adjacent

UTILIZATION

50\_hours/week Academic Year: 10\_ hours/week Nights: Weekends: 10 hours/week Break: TBD hours/week **TECHNOLOGY** 

Computer

**ADJACENCIES** 

Office with Vault **ID Card Office Supervisor**  FIXED EQUIPMENT

ROOM DESCRIPTION

Standard office

**ENVIRONMENT** Natural Light:

MOVABLE EQUIPMENT

**Facilities Furniture** Desk & drawers with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Yes

Ceiling: **ACT** 

. Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom. Windows: Aluminum frame with

insulated glazing

Room ID No.: 1.6 A

Room Name: Office 2:

Assistant Director

Division: Activities/Organizations

Department Student Centers
Administration &

Services

Room Size: 120 ASF

UTILIZATION

Academic Year: 50\_hours/week

Nights: 10\_ hours/week
Weekends: 5\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Director and Program Advisor** 

**ROOM DESCRIPTION** 

Standard office

**Student Organization Space** 

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Outlets

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**TECHNOLOGY** 

Computer Telephone

FIXED EQUIPMENT

Clock

**MOVABLE EQUIPMENT** 

**Facilities Furniture** 

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

Waste Basket

Coat Rack

**REMARKS** 

Furniture to be flexible to allow for different configurations such as a worktable or a meeting

table for 4

Room ID No.: 1.6 B
Room Name: Office 2:

Program Advisor

Quantity 2

Division: Activities/Organizations

Department Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Outlets

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 10\_ hours/week
Weekends: 5\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer Phone

**ADJACENCIES** 

**Student Organization Space** 

**FIXED EQUIPMENT** 

**ROOM DESCRIPTION** 

Standard office

**MOVABLE EQUIPMENT** 

Facilities Furniture

Desk & drawers with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral File

ENVIRONMENT

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Furniture to be flexible to allow for different configurations such as a worktable or a meeting table for 4

Room ID No.: 1.6 C

Room Name: Activities:

Support Staff

Division: Activities/Organizations

Department Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year:

50\_hours/week 0\_ hours/week

Weekends: Break:

Nights:

0\_ hours/week
TBD\_ hours/week

**ADJACENCIES** 

Assistant Director, Program Advisor

**Reception Area** 

**FIXED EQUIPMENT** 

**TECHNOLOGY** 

Computer

MOVABLE EQUIPMENT

(1) 30X60 desk

(1) Task Chair

(1) 6'-0" LF Overhead Storage or Shelving

(1) Lateral File

(2) Visitor Chairs

**ENVIRONMENT** 

Natural Light: Yes

ROOM DESCRIPTION

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, Stained

Windows: Aluminum frame with

Room ID No.: 1.6 D

Room Name: Office Shared: Grad Students

Quantity 3

Division: Activities/Organizations

Department Student Centers

Administration &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Outlets

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 15\_ hours/week
Weekends: 5\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

(2) Computers in each office

Telephone

**ADJACENCIES** 

Program Advisor

**Student Organization Space** 

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

**Shared Office** 

**MOVABLE EQUIPMENT** 

(2) 30X60 desk

(2) Task Chair

(2) 6'-0" LF Overhead Storage or Shelving

(2) Lateral File Waste Basket Coat Hooks

**ENVIRONMENT** 

Natural Light: Yes

**REMARKS** 

This area seems to be for 2 LIC Grads, 1 Greek Grad, 2 CAB Grad, and 1 Graphics Grad

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

Room ID No.: 1.8 A

Room Name: Breakroom/Custodial

Office

Division: Custodial

Department Student Centers

Administration &

Services

Room Size: 450 ASF

**UTILIZATION** 

Academic Year:

50\_hours/week

Nights: Weekends: 0\_ hours/week0\_ hours/week

Break: TBD\_ hours/week

**ADJACENCIES** 

Staff Offices

Custodial Work Room 1.8B

ROOM DESCRIPTION

Department Breakroom for staff

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: LVT with high recycled

content

Ceiling: ACT

Doors: Wood, stained

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sink/Plumbing

Electrical:

Telecom: 2 Data/ Phone

Wireless

**TECHNOLOGY** 

(2) Computers

(1) Telephone

FIXED EQUIPMENT

Sink with Disposal

Countertop, plastic laminate

Custom wood base and upper cabinets

(12) Built-in Lockers - full length (18"x72")

Clock

MOVABLE EQUIPMENT

Refrigerator

(1) 5X6 Oval table with (8) chairs

(2) Desks 30"x60"

(2) Desk Chairs

(1) Bookcase 36"x72"

Microwave

Coffee Maker

(2) Waste Baskets

(1) Recycling Station

**REMARKS** 

Exhaust

Room ID No.: 1.8 B

Room Name: Work/Repair Room

Division: Custodial

Department Student Centers

Administration &

Services

Room Size: 700 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Quad

Electrical: Electrical outlet a

@ 10'0 O.C.

Telecom: 2 Data/Phone

Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: 40\_ hours/week

**TECHNOLOGY** 

ADJACENCIES

FIXED EQUIPMENT

Shelving 2'x24 Floor to Ceiling

Clock

IDTION

MOVABLE EQUIPMENT

10'0" Work Bench

(2) Stools

ROOM DESCRIPTION

Work area for custodial staff

REMARKS

Exhaust required
Utility Sink in Floor

May need extra outlets

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: Premium Concrete

Sealer

Ceiling: Exposed

Doors: Hollow metal (or wood

with door protection)

Windows: Aluminum frame with

Room ID No.: 1.8 C

Room Name: Exterior Equipment

Storage

Division: Custodial

Department Student Centers

Administration &

Services

Room Size: 700 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_hours/week
Weekends: 20\_hours/week

Break: 40\_ hours/week

**ADJACENCIES** 

**Near Loading Dock** 

ROOM DESCRIPTION

Storage for exterior equipment such as Salt, shovels, lawn mower, gasoline

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed

Ceiling: Doors:

Wood door with protection - internal.

Hollow Metal Door at exterior (double doors)

Windows:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: 68 °F

Plumbing: Drain

Electrical:

Telecom: Wireless

Data/Phone

TECHNOLOGY

FIXED EQUIPMENT

2'x12' Shelving

Wall Hangers for outside tools (shovels, brooms)

Clock

MOVABLE EQUIPMENT

(2) Outside Grills

(48) Outside Resin Chairs

Metal shelving units

(2) Snow Blowers

(6) Shovels

(8) Miscellaneous Brooms

(8) Outside Trash Containers on wheels

**REMARKS** 

Floor Drain

**Utility Sink in Floor** 

Room ID No.: 2.1 A

Room Name:Open Office: PanhellenicDivision:Sorority/FraternityDepartment:Student Organizations,

Governance,

**Programming & Services** 

Room Size: 250 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

Shared Lounge Intrafraternity Council

**ROOM DESCRIPTION** 

Shared office for Student Org

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets

Telecom: Data/Phone for each

work area

**TECHNOLOGY** 

(2) Computers

FIXED EQUIPMENT

Clock

**MOVABLE EQUIPMENT** 

(1) Coffee Table

(1) Couch/Sofa

(3) 30x60 desk, drawers 1 side

(3) Desk chairs

6'0" LF Overhead Shelving at each desk

Waste Basket

**REMARKS** 

Shared Entrance with 2.1B (Open Office:

Intrafraternity Council)

Room ID No.: 2.1 B

**Room Name: Open Office:** 

**Intrafraternity Council** 

Division: Sorority/Fraternity Department:

Student Organizations,

Governance,

**Programming & Services** 

Room Size: 250 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends:

Break:

20 hours/week

TBD\_ hours/week

**ADJACENCIES** 

**Shared Lounge** Panhellenic

**ROOM DESCRIPTION** 

Shared office for Intrafraternity Council

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets

Telecom: Data/Phone for each

> work area wireless

**TECHNOLOGY** 

(2) Computers

FIXED EQUIPMENT

Clock

MOVABLE EQUIPMENT

(1) Coffee Table

(1) Couch/Sofa

(3) 30x60 desk, drawers 1 side

(3) Desk chairs

6'0" LF Overhead Shelving at each desk

Waste Basket Coat Hooks

**REMARKS** 

Shared entrance with 2.1A (Open Office:

Panhellenic)

Room ID No.: 2.2 A

Room Name: Open Office

Division: Campus Activities Board
Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 800 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets

Telecom: Data/Phone for each

work area wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

(2) Computers

**ADJACENCIES** 

**Student Organization Lounge** 

**FIXED EQUIPMENT** 

Clock

**ROOM DESCRIPTION** 

Shared office for CAB (Campus Activities Board)

**MOVABLE EQUIPMENT** 

(1) Coffee Table

(1) Couch/Sofa

(5) 30x60 desk, drawers 1 side

(5) Desk chairs

6'0" LF Overhead Shelving at each desk

(2)Shelving units at storage room

Waste Basket Coat Hooks

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

Room ID No.: 2.3 A **Room Name:** Office 2

Quantity

Division: Veteran's Offices Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 120 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: **OCC Sensor Lighting** 

Control

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends: 20 hours/week Break: TBD\_ hours/week **TECHNOLOGY** 

Computer

**ADJACENCIES** 

**Student Organization Lounge** Veteran's Open Office

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Standard office

MOVABLE EQUIPMENT

**Facilities Furniture** Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral file

Natural Light:

**ENVIRONMENT** 

Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Partial height wall at common wall to Student Org Lounge

Room ID No.: 2.3 B

Room Name:Open OfficeDivision:Veteran's OfficesDepartment:Student Organizations,

Governance,

**Programming & Services** 

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite (jacks must be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computers

**ADJACENCIES** 

**Student Organization Lounge** 

FIXED EQUIPMENT

Clock

ROOM DESCRIPTION

Open Office that could accommodate up to 3

desks and lounge area.

MOVABLE EQUIPMENT

(1) 30X60 desk, drawers 2 sides, with return

(1) Task Chair

(1) Lateral file

(1) Sofa

(2) Side Chairs

(2) Side Tables

(1) Coffee Table

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

Partial height wall at common wall to Student Org Lounge

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

Room ID No.: 2.4 A **Room Name:** Office 2

Quantity

Division: Diversity(Multi-Cultural) Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 120 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: **OCC Sensor Lighting** 

Control

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends: 28 hours/week Break: TBD\_ hours/week **TECHNOLOGY** 

Computer

**ADJACENCIES** 

Student Organization Lounge,

Open Office for 2.4B

FIXED EQUIPMENT

Clock

ROOM DESCRIPTION

Standard office

MOVABLE EQUIPMENT

**Facilities Furniture** Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task chair

6'-0" LF Overhead storage/shelving

(1) Lateral file

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows:

insulated glazing

**REMARKS** 

Partial height wall at common wall to Student Org Lounge

Aluminum frame with

Room ID No.: 2.4 B

Room Name: Open Office

Division: Diversity(Multi-Cultural)
Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 1000 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets

Telecom: Data/Phone for each

work area
Wireless
Data/Phone

UTILIZATION

Academic 50\_hours/week

Year:

Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

**Near Diversity Offices** 

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Shared Diversity (Multi-Cultural) office space

Yes

MOVABLE EQUIPMENT

(1) Coffee Table

(1) Couch/Sofa

(1 - 2) Stuffed Chairs

(6) 30x60 desk, drawers 1 side

(6) Task chairs

6'0" LF Overhead Shelving at each desk

(2)Shelving units at storage room

Waste Basket

**FINISHES** 

**ENVIRONMENT** 

Natural Light:

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

Room ID No.: 2.5 A

**Room Name:** Conference Area
Division: Student Organization

**Shared Spaces** 

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 150 ASF

# UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

### **ADJACENCIES**

Shared Lounge (within)

### **ROOM DESCRIPTION**

Small conference area for impromptu meetings within student organizations

### **ENVIRONMENT**

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

# **FINISHES**

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical:

Telecom: (1) Data/Jack

Wireless

### **TECHNOLOGY**

Flat panel monitor Multi-level switching\* A/V Statement \* Projector Screen\* Powered Screen\*

\* Most current technology available

#### FIXED EQUIPMENT

Clock

# MOVABLE EQUIPMENT

(1) 6'-0" Oval Table

(6) Chairs

Room ID No.: 2.5 B

**Room Name:** Conference Room

Division: Student Organization

**Shared Spaces** 

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 300 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Shared Lounge** 

**ROOM DESCRIPTION** 

Conference room for scheduled meetings within student organizations

**ENVIRONMENT** 

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets to correspond

with Collaboration

Station

Telecom: (2) Data/Jack

Wireless

TECHNOLOGY

Flat panel monitor

Multi-level switching\* A/V Statement\* Projector/Screen\* Powered screen\*

\* Most current technology available

Collaboration Station – 4 Monitors w/ internet

and HD Cable

**FIXED EQUIPMENT** 

Clock

MOVABLE EQUIPMENT

(1) 10'-0" Table (12) Chairs

Room ID No.: 2.5 C

**Room Name:** Graphics Work Area
Division: Student Organization

Shared Spaces

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 500 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: Sink

Electrical: Outlets every 4'

**Multiple Circuits** 

Breaker Box in room or very nearby

Telecom: (4) Data/Phone

Wireless

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Shared Lounge** 

ROOM DESCRIPTION

An area for organizations to create and produce posters/advertisements for organizations and

events

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: LVT with high recycled

content

Ceiling:

ACT

Doors:

Windows: Aluminum frame with

insulated glazing

TECHNOLOGY

FIXED EQUIPMENT

Countertop, plastic laminate with base cabinets

and sink Clock

MOVABLE EQUIPMENT

(2) Mac Computer Stations

(1) PC Computer Station

(1) Color Printer

(1) Hot Lamination Machine

(1) Cold Lamination Machine

(1) Poster Printer

(3) Work Table – 1 tall, 2 low/1 at least 6'-0 long

(16) Stools

(1) Order desk (intake orders/collect payment)

(2) 8 roll banner paper holder on wheels

Coat Rack

Storage space for supplies (eg. Banner paper, poster paper, other paper, button machines &

supplies, markers, scissors, etc)

Storage space for Ellison Machine and dyes

(Machine should be mounted to surface)

**REMARKS** 

Exhaust

Room ID No.: 2.5 D

Room Name: Shared Lounge

Division: Student Organization

**Shared Spaces** 

Department: Student Organizations,

Governance,

Programming & Services

Room Size: 2500 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20 hours/week

Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Student Organizations, Governance,

**Programming & Services** 

**ROOM DESCRIPTION** 

Lounge Area for Student Organizations to congregate formally and informally

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: Electrical:

Telecom: Data/Phone

Wireless

2500 ASF

TECHNOLOGY

Smart Board or equivalent at meeting area Coax and CAT6 provided to CATV signals

FIXED EQUIPMENT

Mail Slots (1 for each office) Fireplace (If budget allows)

Coat rack/backpack storage

Clock

MOVABLE EQUIPMENT

(6) Tall tables (standing height) 48"x48"x42"

(24) Stools

(1) Desk

(1) Desk Chair

Furniture with Wheels -

(2) Couch/Sofa Yes

(2) Lounge Chair

(1) Coffee Table

(2) Side Tables

(1) 36 X 72 Table

(8) Chairs

Lamps

**Recycling Station** 

**REMARKS** 

Natural Gas Fireplace

No floor outlets

Allow for future expansion of offices

Room ID No.: 2.6 A

Room Name: Library

Division: Pride Center

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 50 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

Pride Center Suite

ROOM DESCRIPTION

Area within open office for Pride Center

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical:

Telecom: (1) Data/Phone jack

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

Clock

MOVABLE EQUIPMENT

(4) 48" H Shelving Unit, 5 shelves high (wood)

(2) Lounge Chairs

(1) Side Table

Room ID No.: 2.6 B
Room Name: Office 2

Quantity 2

Division: Pride Center

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**Docking Station with laptop** 

Telephone

**ADJACENCIES** 

Student Org Lounge

**FIXED EQUIPMENT** 

Clock

**Coat Hooks** 

**ROOM DESCRIPTION** 

Standard Student Office

**ENVIRONMENT** 

Natural Light:

MOVABLE EQUIPMENT

Facilities Furniture

Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task chair

6'-0" LF Overhead Storage or Shelving

(1) Lateral file

Waste Basket

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

Yes

Aluminum name with

insulated glazing

**REMARKS** 

Partial height wall at common wall

to Student Org Lounge

Room ID No.: 2.6 C

Room Name: Office 3

Division: Pride Center

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite (jacks must be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Computer Telephone

**ADJACENCIES** 

Student Organization Lounge

Library

**FIXED EQUIPMENT** 

**Coat Hooks** 

**ROOM DESCRIPTION** 

Cubicle office area within larger area

MOVABLE EQUIPMENT

(1) Workstation

(1) Task Chair

(1) Lateral file

Systems Furniture/Cubicle

Waste Basket

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

Partial height wall at common wall

to Student Org Lounge

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom.

Windows: Aluminum frame with

Room ID No.: 2.6 D

Room Name:De-Stress RoomDivision:Pride CenterDepartment:Student

Organizations, Governance, Programming &

Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic 50 hours/week

Year:

Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

55" Flat Screen (Wall Mount)

DVD Player/Blu-ray

**ADJACENCIES** 

Pride Center

**FIXED EQUIPMENT** 

Bulletin Board

Clock

**ROOM DESCRIPTION** 

Enclosed room for students to be able to gather

thoughts or have private meetings

MOVABLE EQUIPMENT

(2) Lounge Chairs

(1) Love Seat

(2) Side Tables

Coat Rack (hung)

Trash/Recycling Station

**ENVIRONMENT** 

Natural Light: No

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT
Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows:

Room ID No.: 2.7 A

Room Name: Reception area (Visitors)

Division: Student Association

(Senate)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 50 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 68°F

Winter Temp: 68°F

Plumbing: None

Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_hours/week
Weekends: 28\_hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

(1) Computer

**ADJACENCIES** 

Student Senate Offices

**FIXED EQUIPMENT** 

**Built-in Reception Counter** 

Clock

ROOM DESCRIPTION

Reception area with up to 3 work stations

MOVABLE EQUIPMENT

(3) Lounge Chairs(1) Coffee Table

REMARKS

**ENVIRONMENT** 

Natural Light: Yes (Indirect)

EINVINOINIVIEINI

FINISHES

Walls:

Paint

Floor/Base: Carpet/Vinyl base,

straight

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

Room ID No.: 2.7 B

**Room Name:** Backpack Storage
Division: Student Association

(Senate)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 50 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical: Outlets
Telecom: Wireless

**TECHNOLOGY** 

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

FIXED EQUIPMENT

Built in shelving

Clock

**ADJACENCIES** 

Reception Area at Student Association

MOVABLE EQUIPMENT

**ROOM DESCRIPTION** 

Area for students to place backpacks

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Windows:

Room ID No.: 2.7 C

Room Name: Office Shared

Division: Student Association

(Senate)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 150 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical:

Telecom: Wireless

Data/Phone on 2 walls, opposite (jacks must be

adjacent

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

(2) Computers

**ADJACENCIES** 

Student Organization Lounge

Senate Reception

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Office for President and Vice President of the Student Senate

MOVABLE EQUIPMENT

(2) 30X60 desk , drawers 2 sides, With return and overhang

(2) Task Chair

(2) 6'-0" LF Overhead Storage or Shelving

(2) Lateral file Waste Basket

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

Partial height wall at common wall to Student Org lounge

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

Room ID No.: 2.7 D

**Room Name:** Conference Room

Division: Student Association

(Senate)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 200 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: Electrical:

Telecom: (1) Data/Jack

Wireless

**TECHNOLOGY** 

Flat panel monitor Multi-level switching A/V Statement Projector/Screen Powered screen

FIXED EQUIPMENT

Clock

ROOM DESCRIPTION

Small conference room for meetings within Student Association

MOVABLE EQUIPMENT

(1) 8'-0" Oval Table (10) Chairs Waste Basket

**ENVIRONMENT** 

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

Room ID No.: 2.7 E

Room Name: Open Office

Division: Student Association

(Senate)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 640 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week

Break: TBD\_ hours/week

**ADJACENCIES** 

**ROOM DESCRIPTION** 

Shared office for Student Association (Senate)

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical:

Telecom: Data/Phone for each

work area

**TECHNOLOGY** 

Computers

FIXED EQUIPMENT

Clock

MOVABLE EQUIPMENT

(1) Coffee Table

(1) Couch/Sofa

(5) L-Shaped Desks

(5) Desk chairs

6'0" LF Overhead Shelving at each desk

(2) Shelving units at storage room

Room ID No.: 2.8 A

**Room Name: Open Office** Division: Campus Paper

(The Racquet)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 640 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends: 28 hours/week Break: TBD\_ hours/week MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: Electrical:

Telecom: Data/Phone for each

work area

**TECHNOLOGY** 

(3) Computers (Macs) (1) Printer with stand

Telephone

**ADJACENCIES** 

FIXED EQUIPMENT

White Board **Bulletin Board** 

Clock

**ROOM DESCRIPTION** 

Shared office for Campus Paper (The Racquet)

Yes

MOVABLE EQUIPMENT

Work Table with (4) chairs

(1) Couch/Sofa

(5) L-Shaped Desks

(8) Desk chairs

6'0" LF Overhead Shelving at each desk

(2)Shelving units at storage room - one open

and one enclosed

**FINISHES** 

**ENVIRONMENT** 

Natural Light:

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

Room ID No.: 2.8 B

**Room Name:** Office Shared Division: Campus Paper

(The Racquet)

Department: Student Organizations,

Governance,

**Programming & Services** 

180 ASF Room Size:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: Electrical:

Telecom: Data/Phone on 2 walls,

> opposite (jacks must be adjacent; data/phone for

each station)

**UTILIZATION** 

Academic Year: 50\_hours/week 20 hours/week Nights: Weekends: 28 hours/week Break: TBD\_ hours/week **TECHNOLOGY** 

(3) Computers Telephone

**ADJACENCIES** 

Student Org Lounge

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Shared office for Campus Paper

MOVABLE EQUIPMENT

(3) L-Shaped Desks

(3) Task Chairs

(3) 6'-0" LF Overhead storage/shelving

(3) Lateral file

**ENVIRONMENT** 

Natural Light: Yes **REMARKS** 

Top half wall glass

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

Room ID No.: 2.8 C

Room Name: Presentation Area
Division: Campus Paper
(The Reservet)

(The Racquet)

Department: Student Organizations,

Governance,

**Programming & Services** 

Room Size: 100 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Campus Paper

**ROOM DESCRIPTION** 

Area within Campus Paper Office to present thoughts/ideas and for planning meetings for the school newspaper

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing:

Electrical:

Telecom: (2) Data/Phone

**TECHNOLOGY** 

(1) Projection Screen

(1) Projector

FIXED EQUIPMENT

White Board/Marker Board (Smart Board)

Clock

MOVABLE EQUIPMENT

6'0" Oval Table

(6) Chairs

Room ID No.: 2.8 D

**Room Name: Interview Room** Division: Campus Paper

(The Racquet)

Department: Student Organizations,

Governance,

**Programming & Services** 

**80 ASF** Room Size:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical:

Telecom: Wireless

> Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week Nights: 0 hours/week Weekends: 0 hours/week Break: TBD\_ hours/week **TECHNOLOGY** 

**ADJACENCIES** 

FIXED EQUIPMENT

Clock

MOVABLE EQUIPMENT

(1) 30x60 desk, drawers 2 sides, with return and overhang

(3) Task Chair

**ROOM DESCRIPTION** 

Room to conduct interviews for

news articles

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

CPT AND CPT BASE Floor/Base:

Ceiling: ACT

Doors: Windows:

Room ID No.: 2.9A

Room Name: Office: Shared

Quantity 1

Division: Leadership Involvement

Office

Department Student Organizations,

Governance,

**Programming & Services** 

Room Size: 150 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Outlets

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

(2) Computers in each office

Telephone

ADJACENCIES

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

Shared office

**ENVIRONMENT** 

Natural Light:

MOVABLE EQUIPMENT

(2) Facilities Furniture Desk & drawers with return and overhang

(2) Task Chair

(2) 6'-0" LF Overhead Storage or Shelving

(2) Lateral Files Wastebasket Coat Hooks

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Yes

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

Room ID No.: 2.10A

Room Name: Office: Shared

Quantity 2

Division: Graduate Assistant

Offices

Department Student Organizations,

Governance,

**Programming & Services** 

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76°F

Winter Temp: 68°F

Plumbing: N/A

Electrical: OCC Sensor Lighting

Control

Outlets

Telecom: Wireless

Data/Phone on 2 walls, opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_hours/week
Weekends: 0\_hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

(2) Computers in each office

Telephone

**ADJACENCIES** 

FIXED EQUIPMENT

Clock

**ROOM DESCRIPTION** 

**Shared Office** 

MOVABLE EQUIPMENT

Facilities Furniture
Desk & drawers

with return and overhang

(2) Task Chair

(2) 6'-0" LF Overhead Storage or Shelving

(2) Lateral File Wastebasket Coat Hooks

ENVIRONMENT

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

Room ID No.: 3.1 A

Room Name:Raised PlatformDivision:Entertainment CafeDepartment:Meeting and Program

Room Size: 400 ASF

### **UTILIZATION**

Academic Year: 35\_hours/week
Nights: 25\_ hours/week
Weekends: 24\_ hours/week
Break: TBD\_ hours/week

### **ADJACENCIES**

Seating/Dance Floor

### **ROOM DESCRIPTION**

Area for speakers and performers

# **ENVIRONMENT**

Natural Light: No

# **FINISHES**

Walls: Paint

Floor/Base: Wood,

Ceiling: Exposed, Painted

Doors: Wood Windows: N/A

#### REMARKS

Handicap access. Exhaust.

Cat walk around rigging to adjust lighting. Platform is raised 36" from main floor. Avoid multiple cords everywhere; Programmable Lighting; Front & back curtain

backdrop truss w/ motors.

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes, discreet zoned fire

alarm

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: 3 phase motors/Rigging/Pipe; grid lighting; Multiple power sources/ panels, 200amp and 100 amp of power for motors; Multiple convenience outlets on stage connected to 100 amp service; Press box Plugins. Circuit Breaker should be on stage.

Telecom: Data jacks on SL and SR

walls

# **TECHNOLOGY**

PA System with Speakers.

Utilizing a professional sound/light/PA design consultant – including power needs.

### FIXED EQUIPMENT

Fire Retardant Curtain (See attached sheet)

### **MOVABLE EQUIPMENT**

Professional Keyboard

5 Performance stools

Versalite Staging 4x6 w/8", 16", 24" legs

With skirting and railings, steps Podium with locking wheels

(2) Card Tables

(10) Music Stands

(2) Cocktail Tables

Hazer for concerts

# **ADDITIONAL REMARKS**

Equipment lift to load-in on stage. Access to stage for load-in purposes should not run through the dining/audience area.

Speakers must be set in front of downstage edge of stage.

Room dimensions – L&W can't both be divisible by 2.

Electrical for 100amp/Audio power must not be shared and have proper grounding to avoid ground loops in Audio System

Room ID No.: 3.1 B

Room Name:Seating/Dance FloorDivision:Entertainment CafeDepartment:Meeting and Program

Room Size: 2700 ASF

**UTILIZATION** 

Academic Year: 35\_hours/week
Nights: 25\_ hours/week
Weekends: 24\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Entertainment Café Support

ROOM DESCRIPTION

Entertainment Area for late night and evening events.

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Wood, Terrazzo Ceiling: Exposed, Painted

Doors: Wood Windows: N/A

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Rigging/Pipe grid lighting

Multiple power sources/

panels, 200 amp and

100 amp Press box Plug-ins (wall jacks)

Multiple Outlets

Telecom:

Wireless Internet

**TECHNOLOGY** 

PA System with Speakers

A/V Sound System 70 volt system

High enough quality for movies, lectures, etc.

(handling up to 90db of program) JR ceiling stored Movie Screen

HD Cable XM Radio

**FIXED** 

**EQUIPMENT** 

Dance/DJ

Booth Seating Booths

Clock

MOVABLE EQUIPMENT

Cabling

Scissors Lift

Variety of stackable Seating/Tables

**High Tables** 

Counter/Bar Seating

**Booths** 

**Portable Speakers** 

REMARKS

Avoid multiple cords everywhere

2 story space

Exhaust w/ local control

Portable speakers

Optimize viewing for Customer Seating

Room ID No.: 3.1 C

**Room Name:** Sound Equipment/DJ **Entertainment Cafe** Division: Department: Meeting and Program

Room Size: 150 ASF

### UTILIZATION

Academic Year: 35 hours/week Nights: 25 hours/week Weekends: 24 hours/week TBD\_ hours/week Break:

# **ADJACENCIES**

Seating/Dance Area

### ROOM DESCRIPTION

Area for sound equipment and lighting controls.

# **ENVIRONMENT**

Natural Light: No

### **FINISHES**

Walls: **Paint** 

Floor/Base: Wood, Terrazzo Exposed, Painted Ceiling:

Doors: Wood Windows: N/A

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Rigging

> Multiple power sources/ panels, 200 amp and

100 amp Pressbox Plug-ins Multiple Outlets and

data ports

Telecom:

### **TECHNOLOGY**

PA System with Speakers

**HD Cable** XM Radio

Multiple connections to Projector – VGA, HDM1,

S Video, BNC, RCA, etc.

#### FIXED

### **EQUIPMENT**

Dance/DJ **Booth** Clock

### MOVABLE EQUIPMENT

### REMARKS

Avoid multiple cords everywhere

Mixer/ mix board

Console

Lighting control

Ample power

(connected to 100 amp audio service)

Light/sound board

**Local Exhaust** 

Fire Watch (sprinkler) Zoned Fire Alarm Discreet Fire Alarm

This is not a completely closed room, however we need it to be able to lock equipment and

keep it clean when not in use.

# ROOM DATA - MAJOR EQUIPMENT LIST (Page 1 of 2)

Room ID No.:

Room Names: 3.1 A Raised Platform

3.1 B Seating and Dance Floor3.1 C Sound Equipment/DJ

Division: Entertainment Café
Department: Meeting and Program

# **Technology**

- Monitor System and amps
- PA system (speakers and amps)
- Speakers and subwoofers for large events
- 70 volt speakers (mic & music connections)
- Microphone jacks
- Ceiling mounted Projector HD compliant with zoom – Epson
- Control Extron Link (touch panel/program)
- DVD/Blu-ray
- Dual CD player
- Ipod/mp3 dock
- Video amplification, Scaler
- Computer and 1 laptop
- HD Cable
- XM Radio
- AC motorized, recessed, tab tension widescreen projector screen with touch panel control – multiple (2) locations
- Sound board at least 32 channels- 8aux
- Rigging equipment motor/truss
- Various instrument and vocal mics
- Monitors and amps
- Skrim
- 31-band eqs
- Fx processors delay/reverb
- Rack packs (surge protectors)
- Truss and rigging for banners, backdrops, etc.

- Multiple (2) comp connections stage and sound book
- Mixture of PAR, Leko, Fresnel lighting instruments
- LED lighting for FX, Color, and Up Lighting
- Dimmable House Lighting
- Wireless Clear Communication System
- Light board
- Gels for lighting or color changing LED
- Spare projector lamp
- Digital processor
- Spare lamps for lighting
- Dimmable can lights
- Phaser/Hazer
- Truss ladders
- Video switcher
- Mac Adapters
- Program Remote
- Mixture of PAR, Leko, Fresnel Lighting Instruments

# **ROOM DATA – MAJOR EQUIPMENT LIST (CONTINUED)**

Room ID No.:

Room Names: 3.1 A Raised Platform

3.1 B Seating and Dance Floor3.1 C Sound Equipment/DJ

Division: Entertainment Café
Department: Meeting and Program

# Mechanical/Electrical/Plumbing

- Fire Protection that foggers and phasers can be used with.
- HVAC that is able to be turned on and off at will
- Electrical: Rigging, multiple power sources/panels, 200 amp & 100 amp (or more - spec for 100 k lighting), press box plug-in, multiple outlets on separate circuits

# **Movable Equipment**

- Cabling
- Tie Line
- Scissors Lift
- (4) handheld Wireless Microphones and 4 data jacks
- Versalite Stage Risers 4x6 w/ 8", 16", 24" legs (6)
- Various sized Mic Stands
- Extra Mic Clips
- Road Cases and trucks for mobility and storage

### Remarks

- Multi-pin connectors for light/sound/video installed in the floor from stage to sound booth
- Stage should be at same level as main floor or equipment lift is needed; back stage area
- All Projectors should have 5 year warranty and 1 spare bulb
- All Loop Systems should be laid into concrete after dry, but before final flooring

Room ID No.: 3.1 D

Room Name: Green Room

Division: Entertainment Cafe
Department: Meeting and Program

Room Size: 120ASF

UTILIZATION

Academic Year: 35\_hours/week
Nights: 25\_ hours/week
Weekends: 24\_ hours/week
Break: TBD\_ hours/week

ADJACENCIES
Raised Platform

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Rigging

Multiple power

sources/panels, 200 amp

and 100 amp
Press box plug-ins
Multiple outlets

Telecom:

**TECHNOLOGY** 

**ROOM DESCRIPTION** 

Room for performers to get ready before show or performance

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: Wood

Windows: Aluminum frame with

insulated glazing

**FIXED EQUIPMENT** 

Clock

Make Up Mirror with lighting

Countertop

MOVABLE EQUIPMENT

(2) Lounge chairs

(1) Coffee Table

(1) Love seat

Mini Fridge

Small table for catering

**Clothing Rack** 

Trash/Recycling Containers

**REMARKS** 

Avoid multiple cords everywhere Provide Lockable Storage for Guests

Room ID No.: 3.1 E
Room Name: Storage

Division: Entertainment Cafe
Department: Meeting and Program

Room Size: 800 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets every 6' Telecom: 2 data jacks

UTILIZATION

Academic Year: 35\_hours/week
Nights: 25\_ hours/week
Weekends: 24\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Platform

**FIXED EQUIPMENT** 

Clock

**ROOM DESCRIPTION** 

Turn into more storage for Entertainment Cafe

**MOVABLE EQUIPMENT** 

Shelving

**REMARKS** 

Avoid multiple cords everywhere Lockable

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed Ceiling: Exposed, Painted

Doors: Wood Windows: N/A

Room ID No.: 3.2 A

**Room Name:** Multi- Purpose Space
Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 11250 ASF

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

#### **ADJACENCIES**

Storage and Staging, Catering Support

#### **ROOM DESCRIPTION**

This space is intended for meetings, lectures, guest lectures, concerts, graduation, banquets, and medium to large meetings.

#### **ENVIRONMENT**

Natural Light: No FINISHES

Walls: Paint

Floor/Base: Wood Base, Terrazzo or

(reclaimed wood)

Ceiling: ACT

Doors: Wood, Stained

Windows:

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes, discreet zoned fire

alarm

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Decorative Lighting

Flexible Rigging/Pipe

Grid Lighting

Telecom: High End Speakers

Microphone, Wired/Wireless

#### **TECHNOLOGY**

Audio Delay is desired

Ability to record or webcast desired

#### FIXED EQUIPMENT

Flame retardant Curtain

Front projection screen at stage (sized for

room)

Divisible Partition Walls –

designed for sound separation

(4) Projectors

(3)Clocks – one in each divisible space

(6) Recycling Stations – 2 per divisible space

#### **MOVABLE EQUIPMENT**

**Furniture** 

(80) Oval tables- 5'x6' folding on wheels

(120) Tables (6'x30")

8 chairs at each table

(6) Card Tables (4'x4')

1250 chairs (includes above chairs)

(15) Table Carts

(12) Cocktail/ Conversation Tables

(50) Black Dividers

(6) High Chairs

(6) Booster Seats

(1) Wheelchair

Skirting for Tables: 50 - 11'; 32 - 6'; 6 - 9'

(4) Rolling Bars

(4) 2 Tier Bar Service Tables

(6) Coat Racks (120 Hooks, Folding on Wheels)

Portable Sound System

Sound Booths

#### **REMARKS**

Fire suppressant for phasers/hazers

Screens should be out of the way

Service corridor to be assessed from each

of the 3 spaces

Multiple HVAC Zones

**Lighting Control System** 

Wireless

Under stage storage for the 6'x30" Tables

SEE ATTACHED EQUIPMENT LIST

# ROOM DATA - MAJOR EQUIPMENT LIST (Page 1 of 2)

Room ID No.:

Room Name: 3.2 A Multi-Purpose Space

Division: Multi-purpose Space
Department: Meeting and Program

#### Technology

- Audio delay
- Ability to record or webcast
- High-end Speakers with subwoofers for large concerts and lectures
- Microphone jacks
- Multi connectors for sound/light/video (built into the floor)
- HD Cable
- XM Radio
- Full room dimmable lighting touch panel. Control in each room and Master Control
- 70 volt system (each room separate and together)
- Motors for rigging/light and speakers
- Production lights/truss
- Presentation lights (each section of room)
- Sound board at least 40 channels
- Rigging equipment
- Blow through barricade and bike rack style
- Various instrumental and vocals mics
- Gels for lighting or color changing LED
- Portable effect/up lighting
- Monitors and amps
- Light board
- Road cases for storage and transportation
- 31 band eqs
- Fx processors
- Rack packs (surge protectors)
- AC Motorized HD widescreen tab tension projector screen
- HD Compliant Projector w/zoom (Epson G5750)

- Truss and rigging for banners, backdrops, etc.
- Microphones wired and wireless
- Mixture of PAR, Leko, Fresnel Lighting instruments with spare lamps
- LED lighting for FX, Color, & Up Lighting
- Skrim
- Spotlights (2)
- Spare projector lamps
- Power point remotes (each section)
- Digital processor
- Dimmable can lights
- Phaser/Hazer
- Truss ladders
- Video switcher
- Multiple comp connections various areas
- Telecom/Data ports Wired/wireless
- Video Amplification
- Mac Adapters
- Program Remote
- In-floor Projector/mic/video connections (no plastic covers)
- Doc Cam
- Scaler
- Cables
- Splitter Snake
- (2) Reinforment Monitors w/connections
- Monitor Soundboard
- Loop System- 3 small (one for each room) and 1 large
- Extron Control Link (touch panel/program)
- Multiple Quick Connect Panels
- Front Mounted Speakers
- (4) Computers, 1 laptop, Dual CD players, DVD/Blu-ray, Ipod

# ROOM DATA - MAJOR EQUIPMENT LIST (Continued)

Room ID No .:

Room Name: 3.2 A Multi-Purpose Space

Division: Multi-purpose Space
Department: Meeting and Program

#### Mechanical/Electrical/Plumbing

- Electrical Decorative lighting, flexible rigging,
- Multiple power sources/panels 200 amp/100 amp, 3 phase, etc.
- In floor AC
- Telecom Wireless

#### Moveable Equipment

- (6) Handheld wireless Microphones, lav, countrymen
- Extra Mic Clips
- Various sized Mic Stands
- Tie Line
- Podium
- (6) Versalite Stage Risers –
   4x6' with 8", 16", 24" legs
- SL & SR Moveable Projector Scissors lift
- Band Shell on wheels

#### Fixed Equipment

- Flame retardant curtains: front, mid, back
- Front project screen at stage motorized
- Screens for divisible each space motorized
- Projectors 3-4 touch panel controls for each

# Remarks/General

- Fixed equipment (4)computers,
   (1)Laptop, DVD/blu-ray, iPod, etc.
- 3 portable presenter stations (computer, mic, doc camera, AV inputs, power recept., floor pockets for inputs (no cables running to wall)
- Area should be Handicap Accessible
- Screens should be out of the way, but not too far for a lecturer or speaker
- Back stage should be at same level as main floor or equipment lift is needed; back stage area
- Equipment should be able to enter from backstage
- All Projectors should have 5 year warranty and 1 spare bulb
- All Loop Systems should be added before final flooring is done
- Audio Power needs to be separate from lighting power and grounded properly to prevent ground loop
- Balcony Area for installed Equipment
- Quick Connections for Audio Control from the floor

Room ID No.: 3.2 B

Room Name: Pre-Function

Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 800 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Multi Purpose Space

**ROOM DESCRIPTION** 

Gathering space prior to functions

May have smaller meetings or programs

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: TBD Doors: -

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

(2) Data/Phone jacks near TV's/Monitors

**TECHNOLOGY** 

(2) Flat Panel TV/Monitors connected to

internet

Computer connections/cables

Computer Interface

**HD Cable** 

FIXED EQUIPMENT

Clock Recycling Station

MOVABLE EQUIPMENT

(3) Love seats

(6) Lounge chairs

(1) Piano - Lockable with cover

(1) Piano Bench

(3) Coffee tables

(3) Side tables

(16) Ropes and Standards

(24) Easels

(8) Info/Directional Free Standing Signage

**REMARKS** 

Projection ability/Presentation Floor boxes (Data/Phone)

Exhaust

Food Carts/Catering/Buffet

Large/Wide doors to be provided between Multi

Purpose Space and Pre-Function

Add Coat Room Space

Room ID No.: 3.2 C
Room Name: Stage

Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 1000 ASF\*

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

# **ADJACENCIES**

Multi-Purpose Room

#### **ROOM DESCRIPTION**

Area for speakers or performers Main video screen

#### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: Paint

Floor/Base: Wood

Ceiling: Exposed, Painted

Doors: Wood Windows: N/A

#### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes, discreet zoned fire

alarm

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Rigging/Pipe grid lighting

Multiple power sources/ panels, 200 amp and

100 amp

Press box Plug-ins Multiple Outlets

Telecom:

#### **TECHNOLOGY**

#### FIXED EQUIPMENT

Fire Retardant Curtain (See attached sheet)

#### **MOVABLE EQUIPMENT**

#### **REMARKS**

Avoid multiple cords everywhere

Exhaust

Programmable lighting

Under Stage Storage for (120) 6'x30" tables Skirting to cover access openings for tables

(no panel longer than 6')

\*The stage can be expanded to a total of 2,000 SF by utilizing the flexible zone around the stage in Fig. 8.3.14. The flexible zone can be used for storage when not in use. The diagram also indicates a space for a portable stage to increase the stage size for orchestra and choir performances.

Room ID No.: 3.2 D

Room Name: Green Room

Quantity: 2

Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Multiple outlets
Telecom: Phone/Data Jack

Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Stage

FIXED EQUIPMENT

Clock

Make Up Counter and lit mirror

ROOM DESCRIPTION

A room dedicated to performers or speakers prior to performing

**MOVABLE EQUIPMENT** 

(2) Lounge chairs

(1) Coffee Table

(1) Love seat

Refrigerator (mini fridge) Trash/Recycling Containers

Catering Table Clothing Rack

Lockable Storage for Guest use

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT with CPT base

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Avoid multiple cords everywhere Provide lockable storage to guests

Room ID No.: 3.2 E

Room Name: Toilet Room

Quantity: 2

Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp:68°F

Plumbing: Sink, shower, toilet

Electrical: GFCI Outlet Telecom: Wireless

**TECHNOLOGY** 

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

**Green Rooms** 

FIXED EQUIPMENT

Mirror

Grab bars per code Toilet paper holder Paper towel dispenser

Trash Can

**ROOM DESCRIPTION** 

**MOVABLE EQUIPMENT** 

REMARKS

Exhaust Floor drains

Shower

ENVIRONMENT

Natural Light: No

**FINISHES** 

Walls: Paint/Tile

Floor/Base: Ceramic Tile
Ceiling: Gypsum ACT
Doors: Wood, stained

Windows: -

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 3.2 F HVAC: Summer Temp: 76 °F **Room Name: Equipment Storage** Winter Temp: 68 °F Division: Multi- Purpose Space Plumbing: Meeting and Program Department: Electrical: Multiple Convenience Outlets Room Size: 500 ASF Wireless Telecom: 2 data jacks UTILIZATION Academic Year: 50 hours/week **TECHNOLOGY** Nights: 20\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break: **ADJACENCIES** Multi-Purpose Room **FIXED EQUIPMENT** 

ROOM DESCRIPTION MOVABLE EQUIPMENT
Shelving

REMARKS

Natural Light: No

Walls: Paint

Floor/Base: Concrete, sealed Ceiling: Exposed

Doors: Wood doors with

protection

Windows: -

**ENVIRONMENT** 

**FINISHES** 

Room ID No.: 3.2 G

**Room Name:** Furniture Storage
Division: Multi- Purpose Space
Department: Meeting and Program

Room Size: 1000 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets
Telecom: Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Multi-Purpose Room

**FIXED EQUIPMENT** 

Clock

**MOVABLE EQUIPMENT** 

**ROOM DESCRIPTION** 

**REMARKS** 

If possible, move storage area to opposite end of room or to sides so that each section has its own storage

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed

Ceiling: Exposed

Doors: Wood doors with

protection

Windows: -

Room ID No.: 3.3 A

Room Name: Meeting Room 1:

Permanent

Quantity: 3

Division: Meeting Rooms

Department: Meeting and Program

Room Size: 700 ASF

**UTILIZATION** 

Academic Year:

Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

See Matrix

**ROOM DESCRIPTION** 

Small Meeting

Room

**ENVIRONMENT** 

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Light Controller

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals Computerized Lock/Unlock w/central control

Technology Monitoring w/Central Control

In floor AC

Pop up Data/AC ports

Cables

70" touch screen TV or Projector

Touch Panel DVD/Blu-Ray

Podium/IT Station

Video Amplification 50\_hours/week

Front Mounted Speakers

Computer
Doc Cam
Microphones
Program Remote

FIXED EQUIPMENT

8'-0" Service counter/base cabinet

Presentation Station Monitor 55" or greater

White board with tack strip above

Window Treatment

Dimmable lighting with multiple

touch screen controls

Loop System Clock

**MOVABLE EQUIPMENT** 

Table size for room capacity

8'x24" Tables on wheels with built in data jacks

(60) Chairs White Board Coat Racks Recycling Station Flexible Layout –

Hollow Square, Seminar or Theater All Projectors should include a 5 year warranty

and 1 spare bulb

All Loop Systems should be laid into the

concrete after dry, but before final flooring

Room ID No.:

Room Name:Meeting Room 2Division:Meeting RoomsDepartment:Meeting and Program

Room Size: 1130 ASF

MECHANICAL/ELECTRICAL/PLUMBING

3 हांह्र Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

50 hours/week

**UTILIZATION** 

Academic Year:

Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

TECHNOLOGY

Digital Signage
Coax and CAT6 will be provided to CATV signals

Wall Mounted Speaker & Sound System

**ADJACENCIES** 

See Matrix

**FIXED EQUIPMENT** 

12'-0" Service counter/base cabinet

Presentation Station Ceiling Mounted Projector

Screen

White board with tack strip above

Window Treatment

Coat Racks Clock

ROOM DESCRIPTION

Medium size meeting room

MOVABLE EQUIPMENT

Table size for room capacity – 48" Folding

rounds with wheels Head Table with Skirting

(48) Chairs Recycling Station

ENVIRONMENT
Natural Light: [

ral Light: Desired, not required
If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: REMARKS Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Flexible Layout - Rounds or Theater

Room ID No.: 3.3 C

Room Name:Meeting Room 3Division:Meeting RoomsDepartment:Meeting and Program

Room Size: 1300 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

See Matrix Storage Area

ROOM DESCRIPTION

Large meeting room

**ENVIRONMENT** 

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals

**FIXED EQUIPMENT** 

12'-0" Service counter/base cabinet

IT Presentation Station Ceiling Mounted Projector

Screen

White board with tack strip above

Window Treatment

Clock

**MOVABLE EQUIPMENT** 

Table size for room capacity – Folding Seminars 24"x8'

(8) Folding Oval Tables 5'x6'

Head Table with Skirting

(100)Chairs

Tables to have wheels

Coat Racks

**Recycling Station** 

Room ID No.: 3.3 D

Room Name:Meeting Room 4Division:Meeting RoomsDepartment:Meeting and Program

Room Size: 2000 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

Storage Area (See Matrix)

**ROOM DESCRIPTION** 

Large meeting room

**ENVIRONMENT** 

Natural Light: Yes

Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals Computerized Lock/Unlock w/ Central Control

**Tech Monitoring** 

In floor/furniture pop up AC and data ports

DVD/Blu-ray Video Amp Podium/IT Station Light Controller

Heavy auto-reinforcement speakers – frt. Mount

Reinforcement Monitor TV

Doc Cam
Projector Lift
Scaler
Cables
Computers

Microphones - wired/wireless

Loop System White Board

FIXED EQUIPMENT

12'-0" Service counter/base cabinet

IT Storage (can be in cabinet)

Ceiling Mount HD compliant Projector w/zoom Extron Control Link (touch panel & program 8-9' screen - AC motorized recessed tab tension

HD wide Screen

White board with tack strip above

Window Treatment

Clock

MOVABLE EQUIPMENT

Table size for room capacity -

(26) folding 8'x24" Seminar tables (on wheels)

(9) 5'x6' folding oval tables (on wheels)

Head Table (on wheels) with Skirting

(180) Chairs Coat Rack

Recycling

Station

REMARKS

Flexible Layout - Seminar, Ovals, Theater

All Projectors should include a 5 year warranty

and 1 spare bulb

All Loop Systems should be layered into the concrete after dry, but before final flooring

Room ID No.: 3.3 E

Room Name: Meeting Room 5

Quantity: 2

Division: Meeting Rooms
Department: Meeting and Program

Room Size: 480 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**ADJACENCIES** 

See Matrix

ROOM DESCRIPTION

Small meeting room

**ENVIRONMENT** 

Natural Light: Yes

Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals

Computerized Lock/Unlock w/ Central Control System

Tech Monitoring 70" Touch Screen/TV

Touch Panel In Floor AC DVD/Blu-ray Video Amp Podium/IT Station

Light Controller

Speakers – Front mounted Pop up Data/AC Ports

Cables Computer Doc Cam Microphones Loop System

Program/ Power Point Remote

White Board

Teleconference/Video System

FIXED EQUIPMENT

8'-0" Service counter/base cabinet

IT Storage (can be in cabinet)
Table size for room capacity

Tables w/ built in outlets and data jacks
IT Station figured into table configuration

Monitor 55" or greater w/ dual monitor display

White board with tack strip above

**Dimmable Lighting** 

(controlled by multiple touch screens)

Clock

**Coat Racks** 

**MOVABLE EQUIPMENT** 

(48) Chairs

Furniture to have wheels

REMARKS

Permanent Layout

All Projectors should include a 5 year warranty

and 1 spare bulb

All Loop Systems should be layered into the concrete after dry, but before final flooring

Room ID No.: 3.3 F

Room Name: Meeting Room 6:

Senate Chamber

Division: Meeting Rooms

Department: Meeting and Program

Room Size: 2000 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

See Matrix

ROOM DESCRIPTION

Chamber room for Student Senate Meetings; May

be used for large meetings or small

banquets

**ENVIRONMENT** 

Natural Light: Yes

Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom

Windows: Aluminum frame with

insulated glazing

Would like a serious feel; maybe wood on the

walls, maroon paint

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets for Food Service

Equipment

Telecom: Data/Phone

Wireless

**TECHNOLOGY** 

Microphone

Data at each Senate seat

Projector, Projection Screen

Digital Signage

Coax and CAT6 will be provided to CATV signals

Computerized Lock/Unlock

Tech Monitoring w/ Centralized Control System 8-9' screen - AC motorized recessed tab tension

HD wide Screen

HD compliant projector w/zoom(Epson Z8050)

with projector lift

Tele-Conferencing/video/skype system

In Floor/Furniture pop AC and data ports

DVD/Blu-ray

Video Amplification

Podium/IT Station

Heavy audio reinforcement/speakers Frnt Mnt.

(3) Reinforcement Monitor TV

Doc Cam

**Smart Board** 

Scaler, Cables

Computer

Loop System

Program/Power Point Remote

Table top microphones with on/off function

FIXED EQUIPMENT

Window Treatments

Dimmable TouchScreen light control – multiple

White Board,

Clock

**MOVABLE EQUIPMENT** 

(20) Tables with built in data jacks

Seminar Tables for 10 with mics/data/AC etc.

(50) Chairs with arms, no wheel

(54) Side chairs

Recycling/Trash Station

REMARKS

Hollow Square for 50:

Audience area for 30, Director Seating for 10

Would like Director seating and audience

seating to be mobile

**Lighting System** 

Raceway at furniture

Would like Student Association and UWL Seals

on adjacent walls

All loop systems should be laid into dry concrete

before final flooring

All Projectors should include a 5 year warranty

and 1 spare bulb

Room ID No.: 3.3 G

Room Name:Meeting Room 7Division:Meeting RoomsDepartment:Meeting and Program

Room Size: 400 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

See Matrix Storage Area

ROOM DESCRIPTION

Small meeting room

**ENVIRONMENT** 

Natural Light: Desired, not required

If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals

**FIXED EQUIPMENT** 

6'-0 Service counter/base cabinet

**IT Presentation Station** 

Flat Panel TV

White board or chalkboard with tack strip above

Window Treatment

Clock

**MOVABLE EQUIPMENT** 

Table size for room capacity – Folding Seminars 24"x8'

Head Table with Skirting

(12) Chairs

Tables to have wheels

Coat Racks

**Recycling Station** 

Room ID No.: 3.3 H

**Room Name: Meeting Room 8 Meeting Rooms** Division:

Department: Meeting and Program

Room Size: 300 ASF

UTILIZATION

Academic Year: 50 hours/week Nights: 20 hours/week Weekends: 20 hours/week Break:

TBD\_ hours/week

**ADJACENCIES** 

See Matrix Storage Area

ROOM DESCRIPTION

Small meeting room

**ENVIRONMENT** 

Natural Light: Desired, not required If so, Room Darkening Shades/Curtains

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: **ACT** 

Doors: Solid wood door with sidelight.

Sidelight will have a cellular blind that is operational from the top or bottom Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets, 2 each wall

Outlet at center of room

Telecom: Data/phone, 2 walls,

Jacks must be adjacent

**TECHNOLOGY** 

Digital Signage

Coax and CAT6 will be provided to CATV signals

**FIXED EQUIPMENT** 

6'-0 Service counter/base cabinet

**IT Presentation Station** 

Flat Panel TV

White board or chalkboard with tack strip above

Window Treatment

Clock

**MOVABLE EQUIPMENT** 

Table size for room capacity -Folding Seminars 24"x8' Head Table with Skirting

(10) Chairs

Tables to have wheels

Coat Racks

**Recycling Station** 

Room ID No.: 4.1 A

**Room Name: Receiving & Returnables** 

Staging

Division: Kitchen Support Department: **Dining Services** 

Room Size: 200 ASF

### UTILIZATION

50 hours/week Academic Year: 20\_ hours/week Nights: 20\_ hours/week Weekends: TBD hours/week Break:

#### **ADJACENCIES**

**Loading Dock** 

#### ROOM DESCRIPTION

Staging area for bottle, crate, and miscellaneous returns

#### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: ACT, Gypsum **Hollow Metal** Doors:

Windows:

# Telecom:

Fire Protection:

HVAC:

Plumbing:

Electrical:

**TECHNOLOGY** 

#### **FIXED EQUIPMENT**

See equipment schedule in Appendix, Exhibit B - Receiving and Storage Clock

MECHANICAL/ELECTRICAL/PLUMBING

Yes

Summer Temp: 76 °F

Winter Temp: 68 °F

Hosebib, drain

Wireless

#### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Receiving and Storage

Room ID No.: 4.1 B

**Room Name:** CO2 Storage
Division: Kitchen Support
Department: Dining Services

Room Size: 150 ASF

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_hours/week
Weekends: 20\_hours/week
Break: TBD\_hours/week

#### **TECHNOLOGY**

# **ADJACENCIES**

Loading Dock, Exterior wall

#### **FIXED EQUIPMENT**

See equipment schedule in Appendix, Exhibit B – Receiving and Storage

#### **ROOM DESCRIPTION**

Room or area that houses CO2 tanks for Soda dispensing

#### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B – Receiving and Storage

#### **ENVIRONMENT**

Natural Light: No

# **REMARKS**

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling:

ACT, Gypsum

Room ID No.: 4.1 C

Room Name:Grease Tank & PumpDivision:Kitchen SupportDepartment:Dining Services

Room Size: 50 ASF

#### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Drain

Electrical: Telecom:

# UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

#### **TECHNOLOGY**

#### **ADJACENCIES**

Loading Dock, Kitchen, Exterior wall

#### **FIXED EQUIPMENT**

See equipment schedule in Appendix, Exhibit B – Receiving and Storage

#### **ROOM DESCRIPTION**

Small room/closet that contains the grease Tank for cooking oil disposal

#### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B – Receiving and Storage

#### **ENVIRONMENT**

Natural Light: No

# REMARKS

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Room ID No.: 4.1 D

**Room Name: Dry Storage** Division: Kitchen Support **Dining Services** 

Department:

Room Size:

700 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

Summer Temp: 76 °F HVAC:

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

UTILIZATION

Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 20\_ hours/week TBD\_ hours/week Break:

**TECHNOLOGY** 

**ADJACENCIES** 

Kitchen

**FIXED EQUIPMENT** 

MOVABLE EQUIPMENT

Dry storage shelving

**REMARKS** 

**ROOM DESCRIPTION** 

Storage room for dry goods

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Concrete, sealed Ceiling: ACT, Gypsum

Room ID No.: 4.1 E

Room Name:Paper StorageDivision:Kitchen SupportDepartment:Dining Services

Room Size: 350 ASF

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

### **TECHNOLOGY**

# **ADJACENCIES**

#### **FIXED EQUIPMENT**

# MOVABLE EQUIPMENT

Storage shelving

#### **ROOM DESCRIPTION**

Storage room for paper goods such as napkins, to-go containers, cups, plastic ware

#### **REMARKS**

#### ENVIRONMENT

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling:

ACT, Gypsum

MECHANICAL/ELECTRICAL/PLUMBING **ROOM DATA** Fire Protection: Yes Room ID No.: 4.1 F HVAC: Summer Temp: °F **Room Name: Bulk Freezer Storage** Winter Temp: °F Division: Kitchen Support Plumbing: Floor drain adjacent to Department: **Dining Services** accommodate condensate Electrical: 120/208/3 phase on emergency Room Size: 700 ASF power Telecom: UTILIZATION Academic Year: 50 hours/week **TECHNOLOGY** Nights: 20\_ hours/week 20 \_ hours/week Weekends: TBD\_ hours/week Break: **ADJACENCIES** Kitchen, Receiving **FIXED EQUIPMENT** Walk- in Freezer **MOVABLE EQUIPMENT ROOM DESCRIPTION** Area for built in freezer unit **REMARKS ENVIRONMENT** Natural Light: No **FINISHES** 

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with non-slip finish Ceiling: Metal provided as part of

the Walk-in box

Room ID No.: 4.1 G

Room Name: Meat & Dairy Storage

Division: Kitchen Support Department: Dining Services

Room Size: 300 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Kitchen, Receiving

ROOM DESCRIPTION

Area for built-in cooler unit, intended for Meat and dairy only

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with non-slip finish Ceiling: Metal provided as part of

the Walk-in box

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: °F

Plumbing: Floor drain adjacent to

Accommodate condensate

Electrical: 120/208/3 phase on emergency

power

Telecom:

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

Walk- in Cooler Complex

MOVABLE EQUIPMENT

Cooler shelving

Room ID No.: 4.1 H

Room Name:Produce RefrigeratorDivision:Kitchen SupportDepartment:Dining Services

Room Size: 200 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Kitchen, Receivables

ROOM DESCRIPTION

Area for Built-in Cooler unit, intended for produce only.

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with non-slip finish Ceiling: Metal provided as part of

the Walk-in box

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: °F

Plumbing: Floor drain adjacent to

accommodate condensate

Electrical: 120/208/3 phase on emergency

power

Telecom:

**TECHNOLOGY** 

FIXED EQUIPMENT

Walk-in Cooler Complex

**MOVABLE EQUIPMENT** 

Cooler shelving

Room ID No.: 4.1 I

Room Name: Catering Refrigerator

Walk- In

Division: Kitchen Support
Department: Dining Services

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: °F

Plumbing: Floor drain adjacent to

accommodate condensate

Electrical: 120/208/3 phase on emergency

power

Telecom:

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Kitchen, Receivables

FIXED EQUIPMENT

Walk- in Cooler Complex

**ROOM DESCRIPTION** 

Area for Built-in Cooler unit

MOVABLE EQUIPMENT

Cooler shelving

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with non-slip finish Ceiling: Metal provided as part of

the Walk-in box

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 4.1 J Summer Temp: 76 °F HVAC: **Room Name: Catering General** Winter Temp: 68 °F Storage Plumbing: Division: Kitchen Support Electrical: Department: **Dining Services** Telecom: Wireless Room Size: 180 ASF **TECHNOLOGY** UTILIZATION 50\_hours/week Academic Year: 20\_ hours/week Nights: Weekends: 20\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT** See equipment list **ADJACENCIES** Kitchen MOVABLE EQUIPMENT See equipment list

**REMARKS** 

**ROOM DESCRIPTION** 

Storage room for catering

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: ACT, Gypsum

Room ID No.: 4.1 K

Room Name: Catering Secure Storage

Division: Kitchen Support
Department: Dining Services

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Kitchen

FIXED EQUIPMENT

MOVABLE EQUIPMENT

Catering storage shelving

**ROOM DESCRIPTION** 

Locked storage for catering

REMARKS

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Doors: ACT, Gypsum

Windows:

Room ID No.: 4.2 A

Room Name: Cold Food Prep Area

Division: Back of House Department: Dining Services

Room Size: 350 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Drains, sinks

Electrical: Telecom:

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

#### **TECHNOLOGY**

# **ADJACENCIES**

Kitchen, Ware Washing, Hot Food Prep

#### **FIXED EQUIPMENT**

See Equipment Schedule in Appendix, Exhibit B – Cold Food Prep Clock

# **ROOM DESCRIPTION**

Area within kitchen for preparation of vegetables, fruit, or other similar products

#### MOVABLE EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B – Cold Food Prep

#### **ENVIRONMENT**

Natural Light: No

# **REMARKS**

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Room ID No.: 4.2 B

**Room Name:** Catering Work Center/

**Off-site Staging** 

Division: Back of House Department: **Dining Services** 

Room Size: 600 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: sink

Electrical:

Telecom: Wireless

Phone

UTILIZATION

50 hours/week Academic Year: 20\_ hours/week Nights: 20\_ hours/week Weekends: TBD hours/week Break:

**TECHNOLOGY** 

**ADJACENCIES** 

Kitchen Prep Area **Plating** 

Assembly and staging of products for catered

ROOM DESCRIPTION

events

MOVABLE EQUIPMENT

FIXED EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B – Catering/Off Site Staging

See Equipment Schedule in Appendix,

Exhibit B - Catering/Off Site Staging

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Doors: Windows: REMARKS

Clock

Room ID No.: 4.2 C

Room Name: Hot Food Production

Division: Back of House Department: Dining Services

Room Size: 700 ASF

MECHANICAL/ELECTRICAL/PLUMBING
Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

Phone

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

FIXED EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B – Hot Food Production

ROOM DESCRIPTION

Main kitchen for preparation of hot food

MOVABLE EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B – Hot Food Production

ENVIRONMENT

Natural Light: No

REMARKS

Gas

Exhaust Hood Exhaust

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Room ID No.: 4.3 A

**Room Name:** Dishwashing Division: Sanitation Department: **Dining Services** 

Room Size: 800 ASF

Academic Year: 50 hours/week Nights: 20\_ hours/week 20 hours/week Weekends:

#### UTILIZATION

TBD\_ hours/week Break:

### **ADJACENCIES**

#### ROOM DESCRIPTION

Main room for washing dishes

#### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Doors: Windows:

# MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

Summer Temp: 76 °F HVAC:

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

#### **TECHNOLOGY**

#### **FIXED EQUIPMENT**

See Equipment Schedule in Appendix, Exhibit B – Ware Washing Hand Washing Sink

#### MOVABLE EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B - Ware Washing

#### **REMARKS**

Exhaust

Dish/Tray Return

Room ID No.: 4.3 B

Room Name: Pot & Pan Washing

Division: Sanitation
Department: Dining Services

Room Size: 250 ASF

# UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

# ADJACENCIES

Ware washing or hot food production

#### **ROOM DESCRIPTION**

Specific area for washing pots and pans

#### ENVIRONMENT

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Doors: Windows:

### MECHANICAL/ELECTRICAL/PLUMBING

Yes

Fire Protection:

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

#### **TECHNOLOGY**

#### **FIXED EQUIPMENT**

See Equipment Schedule in Appendix, Exhibit B – Ware Washing Clock

#### MOVABLE EQUIPMENT

Shelving

See Equipment Schedule in Appendix, Exhibit B – Ware Washing

Room ID No.: 4.3 C

Room Name: Mop Closet w/Storage

Division: Sanitation
Department: Dining Services

Room Size: 150 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**ROOM DESCRIPTION** 

Closet with mop sink and cleaning accessories for cleaning kitchen and ware washing areas

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: sink

Electrical: Telecom:

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

Mop hooks Shelf

**MOVABLE EQUIPMENT** 

Shelving

**REMARKS** 

Exhaust

Utility Sink in Floor

Room ID No.: 4.3 D

Room Name:Chemical RoomDivision:SanitationDepartment:Dining Services

Room Size: 120 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

### **TECHNOLOGY**

# **ADJACENCIES**

### **FIXED EQUIPMENT**

# MOVABLE EQUIPMENT

**Detergent Storage shelving** 

#### **ROOM DESCRIPTION**

Storage room for chemicals - required for separate, locked storage

#### **REMARKS**

Exhaust

#### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

#### **ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 4.3 E Summer Temp: 76 °F HVAC: **Room Name:** Pot & Pan Storage Winter Temp: 68 °F Division: Sanitation Plumbing: Department: **Dining Services** Electrical: Telecom: Room Size: 150 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 20\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Pots and Pans Washing MOVABLE EQUIPMENT Shelving **ROOM DESCRIPTION REMARKS**

resistance

ENVIRONMENT
Natural Light:

Ceiling: Mylar covered ACT, Gypsum

No

FRP covered drywall Stainless at equipment

Epoxy with slip

Doors: Windows:

FINISHES Walls:

Floor/Base:

Room ID No.: 4.4 A
Room Name: Office 2:

**Building Manager** 

Division: Offices

Department: Dining Services

Room Size: 120 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

Computer with network access to the menu

board and point of sale systems

**ADJACENCIES** 

Back of House Offices for Dining Services

FIXED EQUIPMENT

**ROOM DESCRIPTION** 

Standard Office

**ENVIRONMENT** 

MOVABLE EQUIPMENT

Facilities Furniture Desk & drawers

with return and overhang

(2) Visitor chairs

(1) Task Chair

6'-0" Overhead Storage or Shelving

Lateral File (1)

FINISHES

Natural Light:

Walls: Paint

Floor/Base: CPT AND CPT BASE

Yes

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

**REMARKS** 

Room ID No.: 4.4 B

Room Name: Office 3: Executive Chef

Division: Offices

Department: Dining Services

Room Size: 80 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**ROOM DESCRIPTION** 

Standard Office

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: Epoxy or vinyl composite tile

Ceiling: ACT Doors: Wood

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

**TECHNOLOGY** 

FIXED EQUIPMENT

MOVABLE EQUIPMENT

(1) Workstation

(1) Task Chair

(1) Lateral File

Systems Furniture/Cubicle

REMARKS

Room ID No.: 4.4 C

Room Name: Office 3: Retail Manager

Division: Offices

Department: Dining Services

Room Size: 80 ASF

**UTILIZATION** 

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone on 2 walls,

opposite, jacks to be

adjacent

**TECHNOLOGY** 

Computer with network access to the menu

board and point of sale systems

FIXED EQUIPMENT

ROOM DESCRIPTION

Standard Office

**MOVABLE EQUIPMENT** 

(1) Workstation

(1) Task Chair

(1) Lateral File

Systems Furniture/Cubicle

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: Epoxy or vinyl composite tile

Ceiling: ACT Doors: Wood

Windows: Aluminum frame with

insulated glazing

Room ID No.: 4.4 D

Room Name: Cash Counting Room

Division: Offices

Department: Dining Services

Room Size: 120 ASF

Fire Protection:

HVAC: Summer Temp: 76 °F

MECHANICAL/ELECTRICAL/PLUMBING

Yes

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone Jack

Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Offices

FIXED EQUIPMENT

10 LF Plastic laminate countertop

**ROOM DESCRIPTION** 

Secure room for counting cash drawers

MOVABLE EQUIPMENT

(3) chairs Safe

REMARKS

Provide window into cash counting room

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Room ID No.: 4.5 A

Room Name: Coffee/Smoothie

**Serving Area** 

Division: Coffee House
Department: Dining Services

Room Size: 700 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks, Drains

Electrical:

Telecom: Phone/Data

Wireless

UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

FIXED EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B - Coffee Shop

**ROOM DESCRIPTION** 

Service counter for Café/Smoothie

MOVABLE EQUIPMENT

See Equipment Schedule in Appendix, Exhibit B - Coffee Shop

REMARKS

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Tile with slip resistance

Ceiling: Mylar covered ACT, Gypsum

Doors:

Windows: Aluminum frame with

insulated glazing

Room ID No.: 4.5 B

Room Name:Walk- in CoolerDivision:Coffee HouseDepartment:Dining Services

Room Size: 64 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: °F

Plumbing: Drain

Electrical: Telecom:

#### UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

### **TECHNOLOGY**

#### **ADJACENCIES**

Coffee/Smoothie Serving Area

### **FIXED EQUIPMENT**

Walk- in Cooler Complex

### MOVABLE EQUIPMENT

Cooler Shelving

### **ROOM DESCRIPTION**

Area for built-in cooler unit

### **REMARKS**

#### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with non-slip finish Ceiling: Metal provided as part of

the Walk-in box

Room ID No.: 4.5 C

Room Name: Storage

Division: Coffee House

Department: Dining Services

Room Size: 100 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

#### UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

### **TECHNOLOGY**

## **ADJACENCIES**

Coffee/Smoothie Serving Area

# FIXED EQUIPMENT

# ROOM DESCRIPTION

Storage room for Café supplies

# MOVABLE EQUIPMENT

Storage Shelving

**REMARKS** 

#### \_\_\_\_\_

#### ENVIRONMENT

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Concrete, stained Ceiling: ACT, Gypsum

Room ID No.: 4.5 D

Room Name: Support

Division: Coffee House

Department: Dining Services

Room Size: 200 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks, Drain

Electrical:

Telecom: Phone/Data

Wireless

#### UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

## **TECHNOLOGY**

### **ADJACENCIES**

### FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Coffee Shop

Clock

#### **ROOM DESCRIPTION**

Service counter for Café/Smoothie

### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Coffee Shop

#### **REMARKS**

#### ENVIRONMENT

Natural Light: No

### **FINISHES**

Walls: FPR covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip

resistance

Ceiling: Mylar covered ACT, Gypsum

Room ID No.: 4.5 E

**Room Name: Seating Area** Division: Coffee House Department: **Dining Services** 

Room Size: 1000 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone Jacks

Wireless

UTILIZATION

Academic Year: 55 hours/week Nights: 30\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break:

**TECHNOLOGY** 

**ADJACENCIES** 

**Entertainment Cafe Space** 

FIXED EQUIPMENT

Fireplace Clock

**ROOM DESCRIPTION** 

Seating area, open or enclosed, with couches,

lounge chairs, and tables with chairs

MOVABLE EQUIPMENT

(6) 4x4 Tables (7) 2x4 Tables

(38) Chairs

(2) Love Seats

(2) Coffee Tables

(6) Lounge Chairs

**ENVIRONMENT** 

Natural Light: Yes

**REMARKS** 

Gas

**FINISHES** 

Walls: Paint

Floor/Base: Carpet/Terrazzo

ACT Ceiling:

Doors:

Windows: Aluminum frame with

insulated glazing

Room ID No.: 4.6 A

Room Name: Service & Production
Division: Entertainment Cafe

Support Area

Department: Dining Services

Room Size: 500 ASF

#### **UTILIZATION**

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

#### **ADJACENCIES**

Entertainment Café Ware Washing Food Prep

#### **ROOM DESCRIPTION**

Area within Entertainment Cafe for preparation of food products

#### **ENVIRONMENT**

Natural Light: Desired, not required

#### **FINISHES**

Walls: FRP

Floor/Base: Epoxy w/ slip resistance

Ceiling: Mylar Covered ACT, Gypsum

Doors:

Windows: Aluminum frame with

insulated glazing

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Drain, sinks

Electrical: Telecom:

#### **TECHNOLOGY**

#### **FIXED EQUIPMENT**

See Equipment Schedule in Appendix, Exhibit B - Entertainment Cafe Support Space Clock

#### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Entertainment Cafe Support Space

#### **REMARKS**

Room ID No.: 4.6 B

**Room Name:** Back of House
Division: Entertainment Cafe

Support Area

Department: Dining Services

Room Size: 200 ASF

### UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

#### **ADJACENCIES**

Entertainment Café Ware Washing Food Prep

#### **ROOM DESCRIPTION**

Area within Entertainment Cafe for preparation of food products

### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: Paint

Floor/Base: Epoxy with slip resistance

Ceiling: Mylar covered ACT

Doors: Windows:

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Drain, sinks

Electrical: Telecom:

#### **TECHNOLOGY**

#### **FIXED EQUIPMENT**

See Equipment Schedule in Appendix, Exhibit B - Entertainment Cafe Support Space Clock

#### **MOVABLE EQUIPMENT**

See equipment schedule in Appendix, Exhibit B - Entertainment Cafe Support Space

#### **REMARKS**

#### MECHANICAL/ELECTRICAL/PLUMBING **ROOM DATA** Fire Protection: Yes Room ID No.: 4.6 C Summer Temp: °F HVAC: **Room Name: Dry Storage** Winter Temp: 68 °F Division: **Entertainment Cafe** Plumbing: Support Area Electrical: Department: **Dining Services** Telecom: **Entertainment Cafe** Support Area 100 ASF Room Size: **TECHNOLOGY** UTILIZATION Academic Year: 50\_hours/week Nights: 30\_ hours/week Weekends: 28 hours/week Break: TBD hours/week **FIXED EQUIPMENT ADJACENCIES** Entertainment Cafe MOVABLE EQUIPMENT Dry storage shelving **REMARKS ROOM DESCRIPTION**

**ENVIRONMENT** 

FINISHES

Walls: FRP covered drywall

No

Stainless at equipment

Floor/Base: Concrete, stained

Ceiling: ACT

Storage room for dry goods

#### MECHANICAL/ELECTRICAL/PLUMBING **ROOM DATA** Fire Protection: Yes Room ID No.: 4.6 D Summer Temp: °F HVAC: **Room Name:** Cooler Winter Temp: °F Division: **Entertainment Cafe** Plumbing: Condensate drain adjacent Support Area Electrical: Department: **Dining Services** Telecom: Room Size: 80 ASF **TECHNOLOGY** UTILIZATION 50 hours/week Academic Year: 30\_ hours/week Nights: Weekends: 28\_ hours/week TBD hours/week Break: **FIXED EQUIPMENT** Walk- in Cooler Complex **ADJACENCIES** Entertainment Cafe MOVABLE EQUIPMENT Cooler shelving

**REMARKS** 

ENVIRONMENT		
Natural Light:	No	

**ROOM DESCRIPTION** 

Area for built-in cooler unit

## **FINISHES**

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with slip resistance Ceiling: Metal provided as part of the Walk-in box

#### MECHANICAL/ELECTRICAL/PLUMBING **ROOM DATA** Fire Protection: Yes Room ID No.: 4.6 E Summer Temp: °F HVAC: **Room Name:** Freezer Winter Temp: °F Division: **Entertainment Cafe** Plumbing: Condensate drain adjacent Support Area Electrical: Department: **Dining Services** Telecom: Room Size: 100 ASF **TECHNOLOGY** UTILIZATION 50 hours/week Academic Year: 20\_ hours/week Nights: Weekends: 28\_ hours/week TBD hours/week Break: **FIXED EQUIPMENT** Walk-in Freezer Complex **ADJACENCIES** Entertainment Cafe MOVABLE EQUIPMENT Freezer shelving

**REMARKS** 

ENVII	RONM	IENT

Natural Light: No

**ROOM DESCRIPTION** 

Area for built-in freezer unit

## **FINISHES**

Walls: Metal provided as part of the Walk-in box

Floor/Base: Epoxy with slip resistance Ceiling: Metal provided as part of the Walk-in box

Room ID No.: 4.6 F

**Room Name:** Ware Washing
Division: Entertainment Cafe

Support Area

Department: Dining Services

Room Size: 180 ASF

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

### **ADJACENCIES**

#### **ROOM DESCRIPTION**

Main room for washing dishes

# ENVIRONMENT

Natural Light: No

#### **FINISHES**

Walls: FRP covered drywall

Stainless at equipment

Floor/Base: Epoxy with slip resistance Ceiling: Mylar covered ACT, Gypsum

Doors: Windows:

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks, Dishwasher

Electrical: Telecom:

#### **TECHNOLOGY**

#### **FIXED EQUIPMENT**

See equipment schedule in Appendix, Exhibit B - Ware Washing

#### MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Ware Washing

#### **REMARKS**

Dish/Tray Return

Room ID No.: 4.6 G

Room Name: Office: Secure

**Includes Cash counting** 

Division: **Entertainment Cafe** 

Support Area

Department: **Dining Services** 

Room Size: 120 ASF MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes Summer Temp: 76°F HVAC:

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: (2) Phone/Data on 2

> walls Wireless

**TECHNOLOGY** 

UTILIZATION

Academic Year: 50 hours/week 20\_ hours/week Nights: Weekends: 28\_ hours/week TBD hours/week Break:

**ADJACENCIES** 

**FIXED EQUIPMENT** 

10'0" Countertop, plastic laminate

**ROOM DESCRIPTION** 

Area for employees to count drawers at

beginning and end of shifts

MOVABLE EQUIPMENT

(4) Chairs Safe

**ENVIRONMENT** 

Natural Light: Yes **REMARKS** 

Provide borrowed lite into room

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Wood door with

door lite, stained

Windows: Aluminum frame with

insulated glazing

Room ID No.: 4.7 A

Room Name:InternationalDivision:Retail Market PlaceDepartment:Dining Services

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - International

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - International

**REMARKS** 

Exhaust

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 B
Room Name: Pasta

Division: Retail Market Place
Department: Dining Services

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Pasta

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Pasta

**REMARKS** 

Exhaust

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 C

Room Name:Deli, Soups, SaladsDivision:Retail Market PlaceDepartment:Dining Services

Room Size: 200 ASF

HVΔC·

HVAC: Summer Temp: 76 °F

MECHANICAL/ELECTRICAL/PLUMBING

Yes

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Fire Protection:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Deli, Soups, Salads

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Deli, Soups, Salads

**ENVIRONMENT** 

Natural Light: No

REMARKS

Exhaust

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 D

Room Name:Breakfast All DayDivision:Retail Market PlaceDepartment:Dining Services

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Breakfast All Day

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Breakfast All Day Clock?

Ciocii.

Exhaust

**ENVIRONMENT** 

Natural Light: No

REMARKS

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Doors: Windows:

···IIIdo ws.

Room ID No.: 4.7 E

Room Name: Grab-n-Go w/ Bakery
Division: Retail Market Place
Department: Dining Services

Room Size: 550 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Grab-n-Go w/Bakery

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Grab-n-Go w/Bakery

**ENVIRONMENT** 

Natural Light: No

REMARKS

Exhaust

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 F **Room Name: Grill** 

Division: Retail Market Place
Department: Dining Services

Room Size: 300 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Grill

**ROOM DESCRIPTION** 

Food Service venue/concept

**MOVABLE EQUIPMENT** 

See equipment schedule in Appendix, Exhibit B - Grill

**REMARKS** 

Exhaust

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 G
Room Name: Mexican

Division: Retail Market Place
Department: Dining Services

Room Size: 250 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Mexican

ROOM DESCRIPTION

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Mexican

REMARKS

Exhaust

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.7 H

Room Name: Potential National

**Concept Space** 

Division: Retail Market Place

Department: Dining Services

Room Size: 400 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Data/Phone

Wireless

UTILIZATION

Academic Year: 30\_hours/week
Nights: 15\_ hours/week
Weekends: 15\_ hours/week
Break: TBD hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

See Matrix and Diagram

FIXED EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Potential National Concept Space

**ROOM DESCRIPTION** 

Food Service venue/concept

MOVABLE EQUIPMENT

See equipment schedule in Appendix, Exhibit B - Potential National Concept Space

REMARKS

Exhaust

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Ceramic Tile/Stainless at cooking equipment

Floor/Base: Porcelain Tile

Ceiling: Mylar covered ACT over prep portion,

painted gyp soffit, ACT over customer

area

Room ID No.: 4.8 A

**Room Name:** Seating Area
Division: Private Dining
Department: Dining Services

Room Size: 850 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sink

Electrical:

Telecom: Wireless

Phone/Data on each wall

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Dining Main Kitchen FIXED EQUIPMENT

Window Treatment 10'-0" Countertop and Base Cabinets

Clock

**ROOM DESCRIPTION** 

For private dinners or events Can be used as meeting room MOVABLE EQUIPMENT

(7) 5X6 Tables (56) Chairs

**ENVIRONMENT** 

Natural Light: Yes

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT Doors: wood

Windows: Aluminum frame with

insulated glazing

Room ID No.: 4.9 A

**Room Name: Seating Area** Division: Dining

Department: **Dining Services** 

Room Size: 6800 ASF

UTILIZATION

Academic Year: 55 hours/week Nights: 30\_hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break:

**ADJACENCIES** 

**Retail Dining** 

ROOM DESCRIPTION

Main dining area, intended to provide variety of locations

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE,

Terrazzo

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

Clock

MOVABLE EQUIPMENT

Variety of Seating - square, 4 tops,

2 tops, high tops,

**Booths** 

**Plants** 

REMARKS

(1000) Chairs (200) Stools

Quantity to be determined:

**Lounge Chairs** Coffee Tables Side Tables

Room ID No.: 4.10 A

**Room Name:** Student Locker Area Division: Locker Rooms

Department: Dining Services

Room Size: 100 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

### **UTILIZATION**

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

#### **TECHNOLOGY**

# **ADJACENCIES**

Back of House

### **FIXED EQUIPMENT**

(40) Double tiered locker on 6" concrete base Clock

### MOVABLE EQUIPMENT

#### **ROOM DESCRIPTION**

Located within or adjacent to Full Time Employee Locker Area. Intended for student or part time employees.

### **REMARKS**

### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls:

Tile

Floor/Base: Epoxy Ceiling: ACT, Gypsum

Room ID No.: 4.10 B

Room Name: Full- time Employee

**Locker Area** 

Division: Locker Rooms
Department: Dining Services

Room Size: 250 ASF

### MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

#### **TECHNOLOGY**

### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD hours/week

### **ADJACENCIES**

Back of House

#### **FIXED EQUIPMENT**

(30) Single tier lockers on 6" concrete base (2) 6'-0" benches with pedestals

Clock

#### **MOVABLE EQUIPMENT**

#### ROOM DESCRIPTION

Locker storage intended for full time employees. Adjacent to or including Student Locker Area.

### **REMARKS**

### **ENVIRONMENT**

Natural Light: No

#### **FINISHES**

Walls: Paint

Floor/Base: Epoxy Ceiling: ACT, Gypsum

#### **ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 4.10 C Summer Temp: °F HVAC: **Room Name: Uniform Storage** Winter Temp: 68 °F Division: **Locker Rooms** Plumbing: Department: **Dining Services** Electrical: Telecom: Room Size: 150 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week 20\_ hours/week Nights: 28\_ hours/week Weekends: Break: TBD\_ hours/week **FIXED EQUIPMENT ADJACENCIES** Lockers MOVABLE EQUIPMENT Uniform Storage Racks **ROOM DESCRIPTION**

**REMARKS** 

Storage room for uniforms

No

Paint

ACT

**Sealed Concrete** 

ENVIRONMENT
Natural Light:

FINISHES Walls:

Floor/Base:

Ceiling:

Room ID No.: 4.10 D

Room Name:Toilet RoomsDivision:Locker RoomsDepartment:Dining Services

Room Size: 320 ASF

## MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection:

Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Toilets, sink, drain

Electrical: Telecom:

#### UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

### **TECHNOLOGY**

# **ADJACENCIES**

Student and Full time Employee Locker Rooms

#### **FIXED EQUIPMENT**

Toilet partitions Grab bars Mirror

Toilet paper holders Paper dispenser Hook

#### **ROOM DESCRIPTION**

### MOVABLE EQUIPMENT

#### **ENVIRONMENT**

Natural Light: No

## REMARKS

### **FINISHES**

Walls:

Paint/Tile

Floor/Base: Ceiling: Tile ACT

Room ID No.: 4.11 A

Room Name: Plating/Staging

Division: Catering

Department: Dining Services

Room Size: 1200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sinks

Electrical:

Telecom: Phone/Data

Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Multi-Purpose Room

FIXED EQUIPMENT

See equipment schedule in Appendix,

Exhibit B - Catering

Clock

**ROOM DESCRIPTION** 

Staging area for catering that occurs in Multi-Purpose and Meeting Rooms MOVABLE EQUIPMENT

See equipment schedule in Appendix,

Exhibit B - Catering

**ENVIRONMENT** 

Natural Light: No

REMARKS

**FINISHES** 

Walls: FRP covered drywall

Floor/Base: Epoxy Ceiling: Mylar covered ACT/Gypsum

Room ID No.: 4.11 B

Room Name: Mop Sink

Division: Catering

Department: Dining Services

Room Size: 80 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: 68 °F

Plumbing: Sink

Electrical: Telecom:

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Catering Plating/Staging Area

FIXED EQUIPMENT

Mop Sink Mop Hooks Shelf

**ROOM DESCRIPTION** 

Closet with mop sink and cleaning accessories

MOVABLE EQUIPMENT

Shelving

**ENVIRONMENT** 

Natural Light: No

REMARKS

Exhaust

**FINISHES** 

Walls: FRP on Gyp

Floor/Base: Sealed concrete with vinyl base

Ceiling: Mylar covered ACT

Doors: Wood, with protection

Windows:

#### **ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 4.11 C Summer Temp: 76 °F HVAC: **Room Name:** Storage Winter Temp: 68 °F Division: Catering Plumbing: Department: **Dining Services** Electrical: Telecom: Room Size: 300 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week 28\_ hours/week Weekends: TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Catering Plating /Staging Area **MOVABLE EQUIPMENT ROOM DESCRIPTION**

**REMARKS** 

. N	I١.	/1	D	$\cap$	N	IN.	1 [	IΤ

Natural Light: No

Storage for catering supplies

### **FINISHES**

Walls: FRP covered drywall

Floor/Base: Concrete, sealed Ceiling: ACT, Gypsum

Doors: Wood, with protection

Windows:

Room ID No.:

4.11 D

**Room Name:** 

**Service Cabinets** 

Division:

Catering

Department:

**Dining Services** 

Room Size:

36 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection:

Yes

HVAC:

Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Sinks

Electrical:

(2) Outlets

Telecom:

UTILIZATION

Academic Year: Nights:

50 hours/week 20\_ hours/week 28\_ hours/week

Weekends: Break:

TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Catering Work Center Service Corridor

**FIXED EQUIPMENT** 

Plastic laminate countertop with base and upper cabinets - one with sink and pantry closet

MOVABLE EQUIPMENT

**REMARKS** 

**ROOM DESCRIPTION** 

Closets with upper and lower cabinets, located in Service Corridor

**ENVIRONMENT** 

Natural Light:

No

**FINISHES** 

Walls:

Paint

Floor/Base:

Epoxy with slip

Ceiling:

**ACT Gypsum** 

Doors: Windows: resistance

**Student Center** University of Wisconsin - La Crosse DSF# 11a2a

Room ID No.: 4.11 E

Room Name: Seasonal Storage

Division: Catering

Department: Dining Services

Room Size: 180 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Catering Plating/Staging

FIXED EQUIPMENT

**MOVABLE EQUIPMENT** 

Dry storage shelving

**ROOM DESCRIPTION** 

Storage for seasonal catering items

REMARKS

ENVIRONMENT

Natural Light: No

**FINISHES** 

Walls: FRP covered drywall

Floor/Base: Concrete, stained Ceiling: ACT, Gypsum

Doors: Windows:

Room ID No.: 5.0 A
Room Name: Retail

oom Name: Retail

Department Bookstore

Room Size: 7000 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 10\_ hours/week
Weekends: 8\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Receiving, Text Book Rental, Retail

ROOM DESCRIPTION

Tenant space to be built out by tenant and include:

(1) Office 2: Bookstore Manager

Open office for (2)

Cash wrap for (5) POS registers

Display space Coat closet

Safe, data room and archives Inventory Storage Room

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

Strobes are typically mounted at 80" AFF. Current tenant standard wall shelving is 86". If allowed by code mount devices at 9' AFF or

locate on columns or ceiling

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Minimum of one ton of cooling per

300 SF of space

Plumbing:

Electrical: Minimum of 200 amp service

•General Lighting: 2x2 (8'o.c.) or 2x4 (10'o.c.) energy efficient florescent w/ parabolic lens.

•60-70 foot candles at 3'AFF is minimum recommendation for sales floor gen. lighting.

 Accent lighting – track or recessed. Locations specified based on final display fixture layout

Telecom: Data/Phone, Wireless

**TECHNOLOGY** 

Store music system (DMX) and speakers

FIXED EQUIPMENT

Clock

MOVABLE EQUIPMENT

- Separate Exterior Entrance
- Flexibility for outlets/power
- •Structural columns as few as possible
- Internal (not perimeter) plumbing or mechanical chases should be avoided where possible
- Direct, secured access to loading dock from shipping/receiving areas
- Finished ceiling height in retail areas minimum 10'-0" height is recommended
- Acoustic ceiling tile tegular edge 2x2 lay-in
- Utilization to be verified by vendor

Room ID No.: 5.0 B

Room Name: Textbook Rental

Department Bookstore

Room Size: 9000 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 0\_ hours/week
Weekends: 0\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Receiving, Retail Bookstore

ROOM DESCRIPTION

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Data/Phone Jacks

**TECHNOLOGY** 

Wireless

**FIXED EQUIPMENT** 

Mobile Floor to Ceiling Shelving Maximum Height 72" Shelf Openings of 18"x36"

Clock

**MOVABLE EQUIPMENT** 

(14) Portable POS

**REMARKS** 

Tenant space to be built out by tenant and include:

(1) Office 2: Text Book Manager Inventory Storage Room

Room ID No.: 6.0 A
Room Name: Bank

Department

Retail

Room Size:

600 ASF

UTILIZATION

Academic Year: Nights: Weekends: Break: 45\_hours/week
0\_ hours/week
4\_ hours/week
TBD\_ hours/week

**ADJACENCIES** 

**ROOM DESCRIPTION** 

White box tenant space identified as a Bank/Credit Union

Build out by tenant

**ENVIRONMENT** 

Natural Light:

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

Desired, not required

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp:76 °F

Winter Temp:68 °F

Plumbing:

Electrical:

Telecom: Data/Phone Jacks

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

ATM

**MOVABLE EQUIPMENT** 

Room ID No.: 6.0 B

Room Name: Tenant Space –

White Box

Department Retail

Room Size: 300 ASF

UTILIZATION

Academic Year: 45\_hours/week
Nights: 10\_ hours/week
Weekends: 20\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

ROOM DESCRIPTION

Build out by tenant

**ENVIRONMENT** 

Natural Light: Desired, not required

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp:76 °F

Winter Temp:68 °F

Plumbing: Electrical:

Telecom:

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

**MOVABLE EQUIPMENT** 

**REMARKS** 

Hours of utilization to be determined by vendor

Room ID No.: 7.0 A

Room Name: Laser Tag

Department Recreation

Room Size: 3000 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: 100 amp power

Telecom:

UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Entertainment Cafe

FIXED EQUIPMENT

Track Lighting Adjustable LED Lighting

ROOM DESCRIPTION

Recreation area for students Space intended to be flexible for change in use **MOVABLE EQUIPMENT** 

**ENVIRONMENT** 

Natural Light: No

**REMARKS** 

High Ceiling

"Warehouse" Décor

Use some of this space as a Service Counter/Equipment Counter Architectural Counter – Visually pleasing

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed

Ceiling: Exposed

Doors: Windows:

Room ID No.: 7.0 B

Room Name: Video Game Area

Department Recreation

Room Size: 300 ASF

UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Laser Tag and Entertainment Cafe

**ROOM DESCRIPTION** 

Lounge area for gaming such as Xbox, Play Station, WII or other such devices

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp:68°F

Plumbing: Electrical:

Telecom: (6) Data Outlets

**TECHNOLOGY** 

Flat Panel Monitors

**FIXED EQUIPMENT** 

Clock

**MOVABLE EQUIPMENT** 

(4) Lounge Chairs

(2) Video Gaming Chairs

(2) Side tables

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 7.0 C Summer Temp: 76 °F HVAC: **Room Name: Billiards** Winter Temp: 68 °F Plumbing: Department Recreation Electrical: Telecom: Wireless Room Size: 1000 ASF **TECHNOLOGY** UTILIZATION Academic Year: 55\_hours/week 30\_ hours/week Nights: 28\_ hours/week Weekends: Break: TBD\_ hours/week **FIXED EQUIPMENT ADJACENCIES** Clock Entertainment Cafe MOVABLE EQUIPMENT (4)Pool Tables **ROOM DESCRIPTION REMARKS** 

ENVIRONMENT

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed

Ceiling: Exposed

Doors: Windows: **ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 7.0 D Summer Temp: 76 °F HVAC: **Room Name: Ping Pong** Winter Temp:68 °F Plumbing: Department Recreation Electrical: Telecom: Wireless 700 ASF Room Size: **TECHNOLOGY** UTILIZATION Academic Year: 55 hours/week 30\_ hours/week Nights: 28\_ hours/week Weekends: Break: TBD\_ hours/week **FIXED EQUIPMENT ADJACENCIES** Entertainment Cafe MOVABLE EQUIPMENT (4) Ping Pong Tables **ROOM DESCRIPTION** 

**REMARKS** 

ENVIRONMENT
Natural Light:

No

**FINISHES** 

Walls: Paint

Floor/Base: Concrete, sealed

Ceiling: ACT

Doors: Windows:

Room ID No.: 7.0 E

Room Name: Miscellaneous Gaming

Department Recreation

Room Size: 600 ASF

UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Entertainment Cafe** 

**ROOM DESCRIPTION** 

Space within Recreation Area for traditional games such as monopoly, scrabble, chess, checkers, cards

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: Exposed

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68°F

Plumbing: Electrical:

Telecom: Wireless

TECHNOLOGY

FIXED EQUIPMENT

MOVABLE EQUIPMENT

(2)4'0" Tables

(8) Chairs

Shelving Unit

(4) Lounge tables

(2) Love seats

(3) Coffee tables

(4) Side tables

Room ID No.: 7.0 F

**Room Name:** Lounge

Department Recreation

Room Size: 400 ASF

UTILIZATION

Academic Year: 55 hours/week 30\_ hours/week Nights: 28\_ hours/week Weekends:

Break: TBD\_ hours/week

**ADJACENCIES** 

**ROOM DESCRIPTION** 

Lounge area within larger Recreation space

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: Exposed

Doors: Windows: MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

Summer Temp: 76 °F HVAC:

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

**TECHNOLOGY** 

HD Cable

**FIXED EQUIPMENT** 

MOVABLE EQUIPMENT

(2) Love seats

(4) Lounge chairs

(2) Coffee tables

(2) Side tables

**REMARKS** 

Individual areas for computer hook up and for hanging out

Room ID No.: 8.0 A

Room Name: Information Center,

Counter

Department: Lobby

Room Size: 250 ASF

UTILIZATION

Academic Year: 112\_hours/week
Nights: 42\_ hours/week
Weekends: 32\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Located in Lobby Main Entrance ID Office

ROOM DESCRIPTION

Information/Service desk adjacent to photo ID area with ticket selling

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: Terrazzo, Thin set

Ceiling: Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: (3) Data/Phone

Wireless

TECHNOLOGY

55" Flat panel screen to display Center activities

and functions (3) Computers

(2) Telephones

**FIXED EQUIPMENT** 

Built in desk, curved, partially walled Lockable storage at desk base cabinets TVs/Monitors throughout (message board)

POS system for ticket sales

Clock

MOVABLE EQUIPMENT

(2) Chairs – adjustable height

Waste Baskets

REMARKS

Partial height walls

Need a ticket selling station in this area Extended counter for wheelchair access

Room ID No.: 8.0 B

Room Name: Queuing Space

Department: Lobby

Room Size: 150 ASF

UTILIZATION

Academic Year: 112\_hours/week
Nights: 42\_ hours/week
Weekends: 32\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Information Center** 

**ROOM DESCRIPTION** 

Space in front of information desk

to allow for lines

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base:

Terrazzo, Thin Set

Ceiling: Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

**TECHNOLOGY** 

**FIXED EQUIPMENT** 

**MOVABLE EQUIPMENT** 

Standards and Ropes

Room ID No.: 8.0 C

Room Name: Secure Storage

Department: Lobby

Room Size: 100 ASF

UTILIZATION

Academic Year: 112\_hours/week
Nights: 42\_ hours/week
Weekends: 32\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

**Near Information Center** 

**ROOM DESCRIPTION** 

Area to secure cashbox for ticket sales

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: Terrazzo, Thin Set

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

**TECHNOLOGY** 

Copier

Fax Machine

FIXED EQUIPMENT

Shelving

MOVABLE EQUIPMENT

Safe for cash

**REMARKS** 

Ticket Supplies Lost & Found Easel Storage

Student Org/Department storage

Room ID No.: 8.0 D

Room Name: Main Lobby Space

Department: Lobby

Room Size: 2000 ASF

UTILIZATION

Academic Year: 112\_hours/week
Nights: 42\_ hours/week
Weekends: 32\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

Information Desk

ROOM DESCRIPTION

ENVIRONMENT

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: Terrazzo, Thin Set

Ceiling: Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Outlets
Telecom: PA System
Wireless

**TECHNOLOGY** 

TV/Monitors throughout (message boards)

**HD** Cable

Recharging Stations for cell/computers

FIXED EQUIPMENT

(2) ATMs minimum

Clock

Vending Machines on upper floors

MOVABLE EQUIPMENT

(4) Tables, 36X72, portable

(4) Chairs

Recycling Station – comingled paper, waste,

plastic, batteries, cell phones

**REMARKS** 

2-story space

Need outlets for "Sale" tables

Room ID No.: 9.0 A

Room Name: Main Lounge

Department Lounges

Room Size: 2000 ASF

UTILIZATION

Academic Year: 84\_hours/week
Nights: 42\_hours/week
Weekends: 28\_hours/week
Break: TBD\_hours/week

**ADJACENCIES** 

ROOM DESCRIPTION

Intended to be on first floor, near lobby This lounge consists of various seating arrangements

Can be used for programs

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: Power outlets every 6 ft.

Telecom: Wireless

(2) data jacks

**TECHNOLOGY** 

Coax and CAT6 will be provided to CATV signals

Computer Interface with television

**HD** Cable

**FIXED EQUIPMENT** 

Television(s)

Clock

MOVABLE EQUIPMENT

Lounge Chairs Coffee Tables Side Tables

(1) Piano - Lockable with cover

(1) Piano Bench

PA System – Small and mobile

(4) Versalite stage 4x6' with 8", 16", 24" legs

Podium with microphone

**Recycling Station** 

Plants Lamps

**REMARKS** 

Ability to plug in catering buffets and

warming tables

Room ID No.: 9.0 B

Room Name: Medium Quiet Lounge

Department Lounges

Room Size: 1000 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

UTILIZATION

Academic Year: 84\_hours/week
Nights: 42\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

Coax and CAT6 will be provided to CATV signals

**HD** Cable

TV/Monitors with Computer Interface

**ADJACENCIES** 

**FIXED EQUIPMENT** 

Clock

**ROOM DESCRIPTION** 

Intended for quiet activities such as reading or studying

**ENVIRONMENT** 

Natural Light: Yes

MOVABLE EQUIPMENT

(10) Lounge chairs

(5) Love seats/couches

(5) Coffee tables

(5) Side tables

**Recycling Station** 

Lamps Plants

REMARKS

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

Room ID No.: 9.0 C

Room Name: Medium Active Lounge

Department Lounges

Room Size: 1000 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

UTILIZATION

Academic Year: 84\_hours/week
Nights: 42\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

55" Flat Panel Monitor/TV

Coax and CAT6 will be provided to CATV signals

TV/Monitors with Computer Interface

**HD** Cable

**ADJACENCIES** 

**FIXED EQUIPMENT** 

Clock

ROOM DESCRIPTION

Intended for impromptu meetings, discussions, and watching television

Yes

MOVABLE EQUIPMENT

(10) Lounge chairs

(5) Love seats

(5) Coffee tables

(5) Side tables

(1) Piano - Lockable with Cover

(1) Piano Bench Recycling Station

Ottomans

**FINISHES** 

**ENVIRONMENT** 

Natural Light:

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

Room ID No.: 9.0 D

Room Name: Small Quiet Lounge (3)

Department Lounges

Room Size: 250 ASF

UTILIZATION

Academic Year: 55\_hours/week
Nights: 30\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**ADJACENCIES** 

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical: Telecom:

Wireless

**TECHNOLOGY** 

Coax and CAT6 will be provided to CATV signals

NO Television

FIXED EQUIPMENT

**ROOM DESCRIPTION** 

Intended for individual reading and studying

MOVABLE EQUIPMENT

(2) Lounge chairs

(1) Love seats

(1) Coffee table(1) Side table

Waste Basket

REMARKS

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

Room ID No.: 9.0 E

Room Name: Small Active Lounge (3)

Department Lounges

Room Size: 750 ASF

**UTILIZATION** 

Academic Year: 55\_hours/week
Nights: 30\_hours/week
Weekends: 28\_hours/week
Break: TBD\_hours/week

ADJACENCIES

**ROOM DESCRIPTION** 

Intended for small group meetings

**ENVIRONMENT** 

Natural Light: Yes

**FINISHES** 

Walls: Paint

Floor/Base: CPT AND CPT BASE

Ceiling: ACT

Doors:

Windows: Aluminum frame with

insulated glazing

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection:

HVAC: Summer Temp: °F

Winter Temp: °F

Plumbing:

Electrical: Convenience Outlets

Telecom: Wireless

**TECHNOLOGY** 

55" Flat Panel Monitor/TV

Coax and CAT6 will be provided to CATV signals

FIXED EQUIPMENT

Clock

**MOVABLE EQUIPMENT** 

(3) Tables

(4) Chairs

(2) Lounge chairs

(1) Love seat

(1) Coffee table

(1) Side table

Waste Basket

Room ID No.: 10.0 A

Room Name: Pallet/Boxes Storage

Department: Building Services

Room Size: 700 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing:

Electrical: 480 277v 122 08

Telecom: Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Bookstore Dining Services FIXED EQUIPMENT

Shelving Clock

ROOM DESCRIPTION

MOVABLE EQUIPMENT

Pallet Jack

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint, CMU

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors with

protection

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 B HVAC: Summer Temp: 76 °F **Room Name: Catering Room** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: Per Code Telecom: Wireless Room Size: 350 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Clock MOVABLE EQUIPMENT **ROOM DESCRIPTION REMARKS ENVIRONMENT** Natural Light: No **FINISHES** 

Walls:

Ceiling:

Doors:

Windows:

Floor/Base:

Paint, CMU

Floor Sealer

Wood doors with protection

Exposed

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 C HVAC: Summer Temp: 76 °F **Room Name: Pallet Jack Storage** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: Per Code Telecom: Wireless Room Size: 200 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Clock? MOVABLE EQUIPMENT **ROOM DESCRIPTION REMARKS ENVIRONMENT** Natural Light: No **FINISHES** 

Walls:

Ceiling:

Doors:

Windows:

Floor/Base:

Paint, CMU

Floor Sealer

Wood doors with protection

Exposed

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 D Summer Temp: 76 °F HVAC: **Room Name: Shipping Desk** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: Telecom: Wireless Room Size: 120 ASF Phone/Data UTILIZATION **TECHNOLOGY** Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break: **ADJACENCIES** FIXED EQUIPMENT Clock **MOVABLE EQUIPMENT ROOM DESCRIPTION** Desk area in receiving. **REMARKS ENVIRONMENT** Natural Light: No

FINISHES Walls:

Floor/Base:

Ceiling:

Doors:

Windows:

Paint, CMU

Floor Sealer

Wood doors with protection

Exposed

Room ID No.: 10.0 E

Room Name: Catering Van - Dock

Department: Building Services

Receiving

Room Size: 200 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Drain Electrical: Outlet

Telecom:

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

FIXED EQUIPMENT

**MOVABLE EQUIPMENT** 

**ROOM DESCRIPTION** 

External parking space for catering truck

**REMARKS** 

Exhaust/Ventilation

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint, CMU

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors with

protection

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 F HVAC: Summer Temp: 76 °F **Room Name: Receiving Area** Winter Temp: 68 °F Plumbing: Drain Department: **Building Services** Electrical: Receiving Telecom: Wireless Room Size: 1000 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week Weekends: 28\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Clock **Loading Dock** MOVABLE EQUIPMENT **ROOM DESCRIPTION** 

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint, CMU

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors with

Area for deliveries to be sorted and temporarily

stored until reaching final destination

protection

Room ID No.:

10.0 G

**Room Name:** 

Interior Parking -

**Electrical Truck** 

Department:

**Building Services** 

Receiving

Room Size:

200 ASF

UTILIZATION

Academic Year: Nights: Weekends:

50 hours/week 20\_ hours/week 28\_ hours/week

TBD\_ hours/week

**ADJACENCIES** 

Break:

**ROOM DESCRIPTION** 

Internal parking space for electrical truck

No

**ENVIRONMENT** 

Natural Light:

**FINISHES** 

Walls: Paint, CMU

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors with

protection

Windows:

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection:

Yes

HVAC:

Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Drain

Outlet

Power outlet for truck

Telecom:

**TECHNOLOGY** 

FIXED EQUIPMENT

**MOVABLE EQUIPMENT** 

**REMARKS** 

Exhaust

Trucks should be able to leave at any time without being blocked in by anything

Room ID No.:

10.0 H

**Room Name:** 

**Repair Shop** 

Department:

**Building Services** 

Receiving

Room Size:

150 ASF

**TECHNOLOGY** 

Fire Protection:

HVAC:

Plumbing:

Electrical:

Telecom:

UTILIZATION

Academic Year:

50\_hours/week 20\_ hours/week

Weekends: Break:

Nights:

28\_ hours/week TBD\_ hours/week

**ADJACENCIES** 

Loading Dock, Custodial Services

FIXED EQUIPMENT

Fan ventilation for soldering fumes

MECHANICAL/ELECTRICAL/PLUMBING

Yes

Summer Temp: 76 °F

Winter Temp: 68 °F

Clock

**MOVABLE EQUIPMENT** 

ROOM DESCRIPTION

Receiving area for custodial services.

**REMARKS** 

Room to be lockable Provide exhaust

**ENVIRONMENT** 

Natural Light:

No

**FINISHES** 

Walls:

Paint, CMU

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors with

protection

ROOM DATA
Room ID No.:

Room Name: Janitorial Storage

10.0 I

Quantity

Department: Building Services

Room Size: 40 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Mop Sink

Electrical: Telecom:

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

ADJACENCIES

FIXED EQUIPMENT

Mop Hooks, Shelving

**MOVABLE EQUIPMENT** 

**ROOM DESCRIPTION** 

Janitorial closet or room located throughout the building

**REMARKS** 

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint, CMU or Drywall

with FRP

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood with protection

Room ID No.: 10.0 J

Room Name: Family Restroom

Department: Building Services

Room Size: 80 ASF

UTILIZATION

Academic Year: 50\_hours/week
Nights: 24\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Sink, Floor mounted

urinal, toilet

TECHNOLOGY

Electrical:

Telecom:

**ADJACENCIES** 

Main level, lobby

**ROOM DESCRIPTION** 

Restroom for families

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint

Floor/Base: Ceramic or Porcelain Tile Ceiling: Gypsum ceiling tile

Doors: Wood

Windows:

FIXED EQUIPMENT

Clock

Changing table Grab Bars

**Toilet Paper Dispenser** 

Hook

Lav (counter or wall hung)

Mirror

High Efficiency Electric Hand

Dryer

Paper Towel Dispenser Trash Receptacle

Clock

MOVABLE EQUIPMENT

ROOM DATA			MECHANICAL/ELECTRICAL/PLUMBING		
Room ID No.: Room Name:	10.0 K Gender Neutral Bathroom		Fire Protection: HVAC:	Yes Summer Temp: 76 °F Winter Temp: 68 °F	
Quantity Department:	3 Building Services Restrooms		Plumbing: Electrical: Telecom:	Toilet, Sink, Drain	
Room Size:	70 ASF				
			TECHNOLOGY		
UTILIZATION		_			
Academic Year: Nights: Weekends: Break:	50_hours/week 24_ hours/week 28_ hours/week TBD_ hours/week	_			
			FIXED EQUIPME	NT	
ADJACENCIES		_	Toilet Paper Dispenser		
ROOM DESCRIPTION			Hook Lav (counter or wall hung) Mirror High Efficiency Electric Hand Dryer Paper Towel Dispenser Trash Receptacle Clock		
			MOVABLE EQUIPMENT		
ENVIRONMENT					
Natural Light:	No		REMARKS		
			Consider 'touchless	s' fixtures	
FINISHES					
Walls:		-			
Floor/Base: Ceiling: Doors:					

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 L.1 Summer Temp: 76 °F HVAC: **Room Name: General Storage** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: **Custodial Support** Telecom: Wireless Room Size: 120 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week 20 hours/week Nights: Weekends: 28\_ hours/week TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** MOVABLE EQUIPMENT **ROOM DESCRIPTION** Main storage for janitorial supplies **REMARKS** 

FINISHES Walls:

Floor/Base:

Ceiling:

ENVIRONMENT
Natural Light:

Floor Sealer Exposed

Paint, CMU or Drywall

No

Doors: Wood Door with

protection

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 L.2 Summer Temp: 76 °F HVAC: **Room Name:** Cleaning Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: **Custodial Support** Telecom: Room Size: 120 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week 20\_ hours/week Nights: 28\_ hours/week Weekends: TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** MOVABLE EQUIPMENT **ROOM DESCRIPTION** Storage for cleaning supplies **REMARKS** Exhaust

Natural Light:

**ENVIRONMENT** 

No

**FINISHES** 

Walls: Paint, CMU or drywall

Floor/Base: Floor sealer Ceiling: Exposed Doors: Wood door with

protection

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 L.3 Summer Temp: 76 °F HVAC: **Room Name: Equipment Room** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: **Custodial Support** Telecom: Room Size: 500 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week 20\_ hours/week Nights: 28\_ hours/week Weekends: TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Clock MOVABLE EQUIPMENT **ROOM DESCRIPTION** Storage for custodial equipment **REMARKS** 

## **ENVIRONMENT**

Natural Light: No

## **FINISHES**

Walls: Paint, CMU or drywall

Floor/Base: Floor Sealer Ceiling: Exposed

Doors: Wood doors, protection

Room ID No.: 10.0 L.4

Room Name: Receiving

Department: Building Services
Custodial Support

Room Size: 100 ASF

MECHANICAL/ELECTRICAL/PLUMBING

Fire Protection: Yes

HVAC: Summer Temp: 76 °F

Winter Temp: 68 °F

Plumbing: Electrical:

Telecom: Wireless

UTILIZATION

Academic Year: 50\_hours/week
Nights: 20\_ hours/week
Weekends: 28\_ hours/week
Break: TBD\_ hours/week

**TECHNOLOGY** 

**ADJACENCIES** 

Loading Dock/Receiving

**ROOM DESCRIPTION** 

FIXED EQUIPMENT

Receiving area for custodial services

MOVABLE EQUIPMENT
Desk

Chair

REMARKS

Floor Drain

**ENVIRONMENT** 

Natural Light: No

**FINISHES** 

Walls: Paint, CMU

Floor/Base: Concrete, Sealer

Ceiling: Exposed

Doors: Windows: **ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 M.1 HVAC: Summer Temp: 76 °F **Room Name:** Custodial Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: Multi Purpose Support Telecom: Wireless Room Size: 120 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20\_ hours/week 28\_ hours/week Weekends: TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Multi-purpose room MOVABLE EQUIPMENT **ROOM DESCRIPTION** Satellite Custodial room for support of the

**REMARKS** 

**ENVIRONMENT** 

multi-purpose room

Natural Light: No

**FINISHES** 

Walls: Paint/FRP

Floor/Base: Floor Sealer
Ceiling: Exposed
Doors: Wood door with

protection

protectio

**ROOM DATA** MECHANICAL/ELECTRICAL/PLUMBING Fire Protection: Yes Room ID No.: 10.0 M.2 HVAC: Summer Temp: 76 °F **Room Name: General Storage** Winter Temp: 68 °F Plumbing: Department: **Building Services** Electrical: **Convenience Outlet** Multi Purpose Support Telecom: Wireless Room Size: 500 ASF **TECHNOLOGY** UTILIZATION Academic Year: 50 hours/week Nights: 20 \_ hours/week 28\_ hours/week Weekends: TBD\_ hours/week Break: **FIXED EQUIPMENT ADJACENCIES** Clock Multi-Purpose Room MOVABLE EQUIPMENT **ROOM DESCRIPTION** Storage for multi-purpose i.e. furniture,

**REMARKS** 

**ENVIRONMENT** Natural Light:

No

**FINISHES** 

equipment

Walls: Paint

Floor/Base: Floor Sealer Ceiling: Exposed Doors:

Wood doors with

protection